
JAINSONS LIGHTS




Price List - Aug 2026




MTS 20(20MM)

POWER N/A
FEATURE SURFACE / HANGING TRACK
BODY CLR BK




DIMENSION	LENGTH	BEAM ANGLE
L1000xW25.5xH50mm	**1M**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**1650/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	




MTS 20(20MM)

POWER N/A
FEATURE SURFACE / HANGING TRACK
BODY CLR BK




DIMENSION	LENGTH	BEAM ANGLE
L2000xW25.5xH50mm	**2M**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**3300/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	




MTS 20(20MM)

POWER N/A
FEATURE SURFACE / HANGING TRACK
BODY CLR BK



DIMENSION	LENGTH	BEAM ANGLE
L3000xW25.5xH50mm	**3M**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**4950/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	



CORNER(NL-MTS20) (C TO C SF) (20MM)

POWER N/A
FEATURE SF CORNER FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L100XW100XH50mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**770/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	



CORNER(NL-MTS20) (W TO C SF) (20MM)


POWER N/A
FEATURE SF CORNER FOR TRACK
BODY CLR BK

DIMENSION	OUTPUT	BEAM ANGLE
L100XW62XH100mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**770/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	



CURVE CORNER (20MM)

WATT N/A
FEATURE SURFACE
BODY CLR BK




DIMENSION	CUTOUT	BEAM ANGLE
L100XW30XH25mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**3355/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	



RECESSED KIT (20MM)

POWER N/A
FEATURE SURFACE
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
W14XH25XW15mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**495/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	



TRACK JOINTER (SF)

POWER N/A
FEATURE SURFACE
BODY CLR BK

DIMENSION	OUTPUT	BEAM ANGLE
L70XW12mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**171/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	




HANGING KIT (20MM)

WATT N/A
FEATURE SURFACE
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L100XW62XH100mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**495/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

NEW

MT-FULL CIRCLE 600-SM (20MM)




POWER N/A
FEATURE SURFACE FULL CIRCLE TRACK
BODY CLR BK

DIMENSION	OUTPUT	BEAM ANGLE
600mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**14850/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

NEW

MT-QUOTER CURVE 600-SM (20MM)



POWER N/A
FEATURE SURFACE QUOTER CURVE TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
600mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**7865/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

NEW


MT-HALF ROUND 600-SM (20MM)




POWER N/A
FEATURE SURFACE HALF ROUND TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
600mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**8305/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

MTR 20(20MM)




POWER N/A
FEATURE CONCEAL TRACK
BODY CLR BK




DIMENSION	LENGTH	BEAM ANGLE
L1000xW62xH50mm	**1M**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**1898/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

MTR 20(20MM)




POWER N/A
FEATURE CONCEAL TRACK
BODY CLR BK




DIMENSION	LENGTH	BEAM ANGLE
L2000xW62xH50mm	**2M**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**3795/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

MTR 20(20MM)




POWER N/A
FEATURE CONCEAL TRACK
BODY CLR BK



DIMENSION	LENGTH	BEAM ANGLE
L3000XW62xH50mm	**3M**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**5693/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

CORNER (NL-MTR20) (20MM)



POWER N/A
FEATURE C to C RECESSED
BODY CLR BK

DIMENSION	OUTPUT	BEAM ANGLE
L100XW100XH50mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**770/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

CORNER (NL-MTR20) (20MM)




POWER N/A
FEATURE W to C RECESSED
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L100XW60XH100mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**770/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

CURVE CORNER (20MM)



POWER N/A
FEATURE RECESSED
BODY CLR BK



DIMENSION	CUTOUT	BEAM ANGLE
L100XW30XH25mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**3355/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

NEW

MT-FULL CIRCLE 600-RM(20MM)



POWER N/A
FEATURE RECESSED FULL CIRCLE TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
600mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**14850/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

NEW

MT-QUOTER CURVE 600-RM(20MM)



POWER N/A
FEATURE RECESSED QUOTER CURVE TRACK
BODY CLR BK

DIMENSION	OUTPUT	BEAM ANGLE
600mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**7865/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

NEW

MT-HALF ROUND 600-RM(20MM)



POWER N/A
FEATURE RECESSED HALF ROUND TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
600mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**8305/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

INPUT MODULE (20MM)



POWER N/A
FEATURE N/A
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L500mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**440/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

STRAIGHT MODULE (20MM)



POWER N/A
FEATURE N/A
BODY CLR BK

DIMENSION	OUTPUT	BEAM ANGLE
L197XW17XH17mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**512/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

CORNER CONNECT MODULE (20MM)



POWER N/A
FEATURE N/A
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L390mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**578/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	


CURVE CORNER MODULE (20MM)



POWER N/A
FEATURE N/A
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**990/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

POWER SUPPLY (20MM)



POWER 100W
FEATURE DRIVER
BODY CLR BK

DIMENSION	OUTPUT	BEAM ANGLE
L220XW20XH45mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**1997/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

POWER SUPPLY (20MM)



POWER 200W
FEATURE DRIVER
BODY CLR BK

DIMENSION	OUTPUT	BEAM ANGLE
L300XW22XH45mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**3190/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

NEW



MT-CURVE POWER SUPPLY (20MM)

POWER 100W
FEATURE POWER SUPPLY FOR CURVE TRACK
BODY CLR BK
OUTPUT DC 48V, 2.1AMP

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	6710/-
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



NL-MT 01 (20MM) (AIR-MT01)

POWER 10W
FEATURE DIFFUSER LINEAR FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L300xW22xH25mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
900LM+-5%	3K/4K/5K	1404/-
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2808/-	3300/-	3600/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	3456/-	



NL-MT 01 (20MM) (AIR-MT01)

POWER 20W
FEATURE DIFFUSER LINEAR FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L600xW22xH25mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1800LM+-5%	3K/4K/5K	1912/-
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3645/-	4300/-	4500/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	4320/-	



NL-MT 01 (20MM)

POWER 30W
FEATURE DIFFUSER LINEAR FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L900XW22xH25mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
2700LM+-5%	3K/4K/5K	3186/-
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



NL-MT 02 (20MM) (AIR-MT02)

POWER 6W
FEATURE LINEAR FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L113xW22xH25mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
540LM+-5%	3K/4K/5K	940/-
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2258/-	2650/-	3400/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	3132/-	



NL-MT 02 (20MM) (AIR-MT02)

POWER 12W
FEATURE LINEAR FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L220xW22xH25mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1080LM+-5%	3K/4K/5K	1410/-
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2862/-	3390/-	3900/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	3996/-	



NL-MT 03 (20MM) (AIR-MT03)

POWER 7W
FEATURE SPOT FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
35x80mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
630LM+-5%	3K/4K/5K	1710/-
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3262/-	3650/-	4200/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	4428/-	



NL-MT 03 (20MM) (AIR-MT03)

POWER 12W
FEATURE SPOT FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
45x100mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1080LM+-5%	3K/4K/5K	2047/-
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3888/-	4410/-	4800/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	4968/-	



NL-MT 03 (20MM)

POWER 20W
FEATURE SPOT FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
60x120mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1800LM+-5%	3K/4K/5K	3219/-
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



NL-MT 04 (20MM) (AIR-MT04)

POWER 6W
FEATURE ADJUSTABLE LINEAR FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L113xW24xH108mm	**N/A**	**24°**
IP RATING	CRI	LED TYPE
IP 20	**Ra>90+**	**N/A**
LUMENS	CCT	PRICE(on/off)
540LM+-5%	**3K/4K/5K**	**2096/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3726/-	**4150/-**	**4450/-**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**4212/-**	



NL-MT 04 (20MM) (AIR-MT04)

POWER 12W
FEATURE ADJUSTABLE LINEAR FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L221XW24XH125mm	**N/A**	**24°**
IP RATING	CRI	LED TYPE
IP 20	**Ra>90**	**N/A**
LUMENS	CCT	PRICE(on/off)
1080LM+-5%	**3K/4K/5K**	**2935/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4968/-	**5500/-**	**5900/-**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**5940/-**	



NL-MT 05 (20MM)

POWER 7W
FEATURE HANGING FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
40XL300mm	**N/A**	**24°**
IP RATING	CRI	LED TYPE
IP 20	**Ra>90+**	**N/A**
LUMENS	CCT	PRICE(on/off)
630LM+-5%	**3K/4K**	**3154/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	



NL-MT 06 (20MM)

POWER 12W
FEATURE MOVABLE FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
90X90XH35mm	**N/A**	**36°**
IP RATING	CRI	LED TYPE
IP 20	**Ra>90+**	**N/A**
LUMENS	CCT	PRICE(on/off)
1080LM+-5%	**3K/4K**	**3888/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	



NL-MT 07 (20MM)

POWER 7W
FEATURE HANGING FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
70XL50mm	**N/A**	**30°**
IP RATING	CRI	LED TYPE
IP 20	**Ra>90+**	**N/A**
LUMENS	CCT	PRICE(on/off)
630LM+-5%	**3K/4K**	**3240/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

NEW

NL-MT-CURVE-02 (20MM)



POWER 12W
FEATURE GRILLE LIGHT FOR CURVE TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
W22xH25xL360mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP20	**Ra>90+**	**N/A**
LUMENS	CCT	PRICE(on/off)
1080LM+-5%	**3K/4K**	**4590/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

NEW


NL-MT-CURVE-03 (20MM)



POWER 12W
FEATURE SPOT LIGHT FOR CURVE TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
D50xH140mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP20	**Ra>90+**	**N/A**
LUMENS	CCT	PRICE(on/off)
1080LM+-5%	**3K/4K**	**3618/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

FTS-TRACK



POWER N/A
FEATURE 4 WIRE BENDABLE FLEXIBLE SOFT TRACK
BODY CLR BK

DIMENSION	LENGTH	BEAM ANGLE
W4XH14mm	**10 MTR**	**N/A**
IP RATING	CRI	LED TYPE
IP 20	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**15950/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

FTS-CELLING PART



POWER N/A
FEATURE TRACK CEILING FIX PARTS PC
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
D40XH90mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**935/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
	N/A	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

FTS-TRACK CONNECTOR



POWER N/A
FEATURE TRACK CONNECTOR
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
D40XH90mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**1265/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	


FTS INPUT MODULE



POWER N/A
FEATURE INPUT MODULE FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
D40XH90mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**1375/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	


FTS POWER SUPPLY



POWER 150W
FEATURE POWER SUPPLY FTS 48V
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
D100X30mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 20	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**8415/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

FTS HANGING ROAD




* Height can Adjustable

POWER N/A
FEATURE ADJUSTABLE HEIGHT HANGING ROD
BODY CLR BK

LENGTH	CUTOUT	BEAM ANGLE
150/300/600mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 20	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**2550/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

FTS HANGING MODULE




* Height can Adjustable

POWER N/A
FEATURE ADJUSTABLE HEIGHT HANGING ROD WITH MODULE
BODY CLR BK

LENGTH	CUTOUT	BEAM ANGLE
150/300/600mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 20	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**2800/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

FTS-01




POWER 12W
FEATURE LINEAR FOR TRACK
BODY CLR BK



DIMENSION	CUTOUT	BEAM ANGLE
W35XH28XL365mm	**N/A**	**24°**
IP RATING	CRI	LED TYPE
IP 20	**Ra>90+**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**2700K-6500K (Tunable)**	**N/A**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4698/-	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

FTS-02



POWER 12W
FEATURE DIFFUSER LINEAR FOR TRACK
BODY CLR BK



DIMENSION	CUTOUT	BEAM ANGLE
W35XH28XL365mm	**N/A**	**100°**
IP RATING	CRI	LED TYPE
IP 20	**Ra>90+**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**2700K-6500K (Tunable)**	**N/A**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4158/-	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	



FTS-03

POWER 7W
FEATURE SPHERE FOR TRACK
BODY CLR BK

3in1 3K 4K 6K

DIMENSION	CUTOUT	BEAM ANGLE
D100mm	**N/A**	**270°**
IP RATING	CRI	LED TYPE
IP 20	**Ra>90+**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**2700K-6500K (Tunable)**	**N/A**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
5886/-	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	



FTS-04

POWER 7W
FEATURE SPHERE PENDANT FOR TRACK
BODY CLR BK

3in1 3K 4K 6K

DIMENSION	CUTOUT	BEAM ANGLE
D100mm	**N/A**	**270°**
IP RATING	CRI	LED TYPE
IP 20	**Ra>90+**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**2700K-6500K (Tunable)**	**N/A**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
6210/-	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	




FTS-05

POWER 7W
FEATURE CONE FOR TRACK
BODY CLR BK

3in1 3K 4K 6K

DIMENSION	CUTOUT	BEAM ANGLE
D100XH60mm	**N/A**	**24°**
IP RATING	CRI	LED TYPE
IP 20	**Ra>90+**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**2700K-6500K (Tunable)**	**N/A**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3435/-	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	



FTS-06

POWER 7W
FEATURE CONE PENDANT FOR TRACK
BODY CLR BK

3in1 3K 4K 6K

DIMENSION	CUTOUT	BEAM ANGLE
D100XH60mm	**N/A**	**24°**
IP RATING	CRI	LED TYPE
IP 20	**Ra>90+**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**2700K-6500K (Tunable)**	**N/A**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3780/-	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	



FTS-07

POWER 10W
FEATURE TUBE FOR TRACK
BODY CLR BK

3in1 3K 4K 6K

DIMENSION	CUTOUT	BEAM ANGLE
D30XL300mm	**N/A**	**160°**
IP RATING	CRI	LED TYPE
IP 20	**Ra>90+**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**2700K-6500K (Tunable)**	**N/A**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2808/-	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	



FTS-07

POWER 20W
FEATURE TUBE FOR TRACK
BODY CLR BK

3in1 3K 4K 6K

DIMENSION	CUTOUT	BEAM ANGLE
D30XL600mm	**N/A**	**160°**
IP RATING	CRI	LED TYPE
IP 20	**Ra>90+**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**2700K-6500K (Tunable)**	**N/A**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3996/-	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	



FTS-08

POWER 10W
FEATURE SPHERE FOR TRACK
BODY CLR BK

3in1 3K 4K 6K

DIMENSION	CUTOUT	BEAM ANGLE
D100mm	**N/A**	**110°**
IP RATING	CRI	LED TYPE
IP 20	**Ra>90+**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**2700K-6500K (Tunable)**	**N/A**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
5778/-	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	



FTS-09

POWER 20W
FEATURE SILICONE LINEAR FOR TRACK
BODY CLR BK

3in1 3K 4K 6K

DIMENSION	CUTOUT	BEAM ANGLE
D22XL1000mm	**N/A**	**360°**
IP RATING	CRI	LED TYPE
IP 20	**Ra>90+**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**2700K-6500K (Tunable)**	**N/A**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
6146/-	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	



FTS-09

POWER 40W
FEATURE SILICONE LINEAR FOR TRACK
BODY CLR BK

3in1 3K 4K 6K

DIMENSION	CUTOUT	BEAM ANGLE
D22XL2000mm	**N/A**	**360°**
IP RATING	CRI	LED TYPE
IP 20	**Ra>90+**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**2700K-6500K (Tunable)**	**10152/-**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
10152/-	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	



FTS-10

POWER
9W

FEATURE
MOVABLE LIGHT FOR TRACK

BODY CLR
BK



DIMENSION	CUTOUT	BEAM ANGLE
D90XH35mm	**N/A**	**24°**
IP RATING	CRI	LED TYPE
IP 20	**Ra>90+**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**2700K-6500K (Tunable)**	**N/A**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4914/-	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	



FTS-11

POWER
7W

FEATURE
SPOT FOR TRACK

BODY CLR
BK



DIMENSION	CUTOUT	BEAM ANGLE
35X90mm	**N/A**	**24°**
IP RATING	CRI	LED TYPE
IP 20	**Ra>90+**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**2700K-6500K (Tunable)**	**N/A**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3240/-	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	



FTS-11

POWER
10W

FEATURE
SPOT FOR TRACK

BODY CLR
BK



DIMENSION	CUTOUT	BEAM ANGLE
45X100mm	**N/A**	**24°**
IP RATING	CRI	LED TYPE
IP 20	**Ra>90+**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**2700K-6500K (Tunable)**	**N/A**
Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3672/-	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	