

## GLANZA OUTER FACE RING



Round Face Ring



Round Trimless Face Ring



Square Single Head Face Ring



Square Single Head Trimless Face Ring



Square Double Head Face Ring



Square Double Head Trimless Face Ring



12w Round Circle



12w Ellipses Ring



7w -30w Wall Washer Ring



## GLANZA INNER FACE RING



White



Matt-black



Pearl Shining black



Rose-gold



Gold



Chrome



Fog-silver



Ellipses Ring



Round Circle Ring

(75mm Cutout)



Glanza Wall Washer Black Ring



Glanza Wall Washer chrome Ring



Glanza Wall Washer Pearl Shining Black Ring  
(75mm Cutout)

## GLANZA FILTERS




Single Asymmetric Filter



Double Asymmetric Filter



Linear Filter



Honeycomb Mesh  
(7-40W)

## GLANZA HONEYCOMB



RF 2.4G





TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



## GLANZA FILTER APPLICATION



### Different Angle Different Filter Different Effect



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



## GLANZA (FRONT OPENABLE)



|                 |      |        |        |        |        |
|-----------------|------|--------|--------|--------|--------|
| <b>WATTAGE</b>  | 6-8W | 10-15W | 18-20W | 25-30W | 32-40W |
| <b>DIAMETER</b> | 65mm | 85mm   | 105mm  | 105mm  | 135mm  |
| <b>HEIGHT</b>   | 78mm | 101mm  | 110mm  | 121mm  | 142mm  |
| <b>CUTOUT</b>   | 55mm | 75mm   | 95mm   | 95mm   | 120mm  |

|                   |                                                                                  |
|-------------------|----------------------------------------------------------------------------------|
| LED               | CREE / BRIDGELUX                                                                 |
| DRIVER            | PHILIPS / FULHAM / OSRAM                                                         |
| COLOUR TEMP       | 2700K / 3000K / 3500K / 4000K / 5000K / 6500K                                    |
| OPTICS            | HERCULUX                                                                         |
| LUMEN EFFICIENCY  | 120-140 LM / W                                                                   |
| INNER RING COLOUR | WHITE / MATT BLACK / GOLD / ROSE GOLD /<br>CHROME / SILVER / PEARL SHINING BLACK |
| OUTER RING COLOUR | WHITE / BLACK                                                                    |
| CRI               | 80 / 90                                                                          |
| HEATSINK COLOUR   | GREY                                                                             |
| BEAM ANGLE        | 15° / 24° / 36° / 55°<br><u>5° AVAILABLE IN 75mm CUTOUT</u>                      |



**RF 2.4G**



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE




## GLANZA TRIMLESS



|                 |      |        |        |        |
|-----------------|------|--------|--------|--------|
| <b>WATTAGE</b>  | 5-8W | 12-15W | 15-20W | 25-30W |
| <b>DIAMETER</b> | 88mm | 108mm  | 128mm  | 128mm  |
| <b>HEIGHT</b>   | 78mm | 101mm  | 110mm  | 121mm  |
| <b>CUTOUT</b>   | 55mm | 75mm   | 95mm   | 95mm   |

|                   |                                                                                  |
|-------------------|----------------------------------------------------------------------------------|
| LED               | CREE / BRIDGELUX                                                                 |
| DRIVER            | PHILIPS / FULHAM / OSRAM                                                         |
| COLOUR TEMP       | 2700K / 3000K / 3500K / 4000K / 5000K / 6500K                                    |
| OPTICS            | HERCULUX                                                                         |
| LUMEN EFFICIENCY  | 120-140 LM / W                                                                   |
| INNER RING COLOUR | WHITE / MATT BLACK / GOLD / ROSE GOLD /<br>CHROME / SILVER / PEARL SHINING BLACK |
| OUTER RING COLOUR | WHITE / BLACK                                                                    |
| CRI               | 80 / 90                                                                          |
| HEATSINK COLOUR   | GREY                                                                             |
| BEAM ANGLE        | 15° / 24° / 36° / 55°<br>5° AVAILABLE IN 75mm CUTOUT                             |



Honeycomb Mesh  
Available for all size



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



## GLANZA SQUARE



|                 |             |             |               |               |
|-----------------|-------------|-------------|---------------|---------------|
| <b>WATTAGE</b>  | 6-8W        | 12-15W      | 18-20W        | 25-30W        |
| <b>DIAMETER</b> | 65mm x 65mm | 85mm x 85mm | 105mm x 105mm | 105mm x 105mm |
| <b>HEIGHT</b>   | 85mm        | 111mm       | 124mm         | 135mm         |
| <b>CUTOUT</b>   | 55mm x 55mm | 75mm x 75mm | 95mm x 95mm   | 95mm x 95mm   |

## GLANZA SQUARE TRIMLESS



|                 |             |             |               |             |
|-----------------|-------------|-------------|---------------|-------------|
| <b>WATTAGE</b>  | 6 - 8 W     | 12 - 15W    | 18 - 20W      | 25 - 30W    |
| <b>DIAMETER</b> | 65mm x 65mm | 85mm x 85mm | 105mm x 105mm | 95mm x 95mm |
| <b>HEIGHT</b>   | 85mm        | 111mm       | 124mm         | 135mm       |
| <b>CUTOUT</b>   | 58mm x 55mm | 78mm x 75mm | 98mm x 95mm   | 98mm x 95mm |

|                   |                                                                                  |
|-------------------|----------------------------------------------------------------------------------|
| LED               | CREE / BRIDGELUX                                                                 |
| DRIVER            | PHILIPS / FULHAM / OSRAM                                                         |
| COLOUR TEMP       | 2700K / 3000K / 3500K / 4000K / 5000K / 6500K                                    |
| OPTICS            | HERCULUX                                                                         |
| LUMEN EFFICIENCY  | 120-140 LM / W                                                                   |
| INNER RING COLOUR | WHITE / MATT BLACK / GOLD / ROSE GOLD /<br>CHROME / SILVER / PEARL SHINING BLACK |
| OUTER RING COLOUR | WHITE / BLACK                                                                    |
| CRI               | 80 / 90                                                                          |
| HEATSINK COLOUR   | GREY                                                                             |
| BEAM ANGLE        | 15° / 24° / 36° / 55°<br><u>5° AVAILABLE IN 75mm CUTOUT</u>                      |



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



## GLANZA SQUARE DOUBLE



|                 |              |              |               |               |
|-----------------|--------------|--------------|---------------|---------------|
| <b>WATTAGE</b>  | 7W X 2       | 12W X 2      | 18W X 2       | 25W X 2       |
| <b>DIAMETER</b> | 115mm X 65mm | 155mm x 85mm | 195mm x 105mm | 195mm x 105mm |
| <b>HEIGHT</b>   | 85mm         | 111mm        | 124mm         | 135mm         |
| <b>CUTOUT</b>   | 105mm x 55mm | 145mm x 75mm | 185mm x 95mm  | 185mm x 95mm  |

## GLANZA SQUARE DOUBLE TRIMLESS



|                 |              |              |               |               |
|-----------------|--------------|--------------|---------------|---------------|
| <b>WATTAGE</b>  | 7W X 2       | 12W X 2      | 18W X 2       | 25W X 2       |
| <b>DIAMETER</b> | 115mm X 65mm | 155mm x 85mm | 195mm x 105mm | 195mm x 105mm |
| <b>HEIGHT</b>   | 85mm         | 111mm        | 124mm         | 135mm         |
| <b>CUTOUT</b>   | 105mm x 58mm | 145mm x 78mm | 185mm x 98mm  | 185mm x 98mm  |

|                   |                                                                                  |
|-------------------|----------------------------------------------------------------------------------|
| LED               | CREE / BRIDGELUX                                                                 |
| DRIVER            | PHILIPS / FULHAM / OSRAM                                                         |
| COLOUR TEMP       | 2700K / 3000K / 3500K / 4000K / 5000K / 6500K                                    |
| OPTICS            | HERCULUX                                                                         |
| LUMEN EFFICIENCY  | 120-140 LM / W                                                                   |
| INNER RING COLOUR | WHITE / MATT BLACK / GOLD / ROSE GOLD /<br>CHROME / SILVER / PEARL SHINING BLACK |
| OUTER RING COLOUR | WHITE / BLACK                                                                    |
| CRI               | 80 / 90                                                                          |
| HEATSINK COLOUR   | GREY                                                                             |
| BEAM ANGLE        | 15° / 24° / 36° / 55°<br>5° AVAILABLE IN 75mm CUTOUT                             |



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



## GLANZA TALL



|                 |       |        |
|-----------------|-------|--------|
| <b>WATTAGE</b>  | 7-15W | 18-25W |
| <b>DIAMETER</b> | 65mm  | 85mm   |
| <b>HEIGHT</b>   | 114mm | 147mm  |
| <b>CUTOUT</b>   | 55mm  | 75mm   |

|                   |                                                                                  |
|-------------------|----------------------------------------------------------------------------------|
| LED               | CREE / BRIDGELUX                                                                 |
| DRIVER            | PHILIPS / FULHAM / OSRAM                                                         |
| COLOUR TEMP       | 2700K / 3000K / 3500K / 4000K / 5000K / 6500K                                    |
| INNER RING COLOUR | WHITE / MATT BLACK / GOLD / ROSE GOLD /<br>CHROME / SILVER / PEARL SHINING BLACK |
| OUTER RING COLOUR | WHITE / BLACK                                                                    |
| BEAM ANGLE        | 15° / 24° / 36° / 55°<br>5° AVAILABLE IN 75mm CUTOUT                             |

## GLANZA TALL TRIMLESS



|                 |       |        |
|-----------------|-------|--------|
| <b>WATTAGE</b>  | 7-15W | 18-25W |
| <b>DIAMETER</b> | 88mm  | 108mm  |
| <b>HEIGHT</b>   | 114mm | 147mm  |
| <b>CUTOUT</b>   | 55mm  | 75mm   |

|                   |                                                                                  |
|-------------------|----------------------------------------------------------------------------------|
| LED               | CREE / BRIDGELUX                                                                 |
| DRIVER            | PHILIPS / FULHAM / OSRAM                                                         |
| COLOUR TEMP       | 2700K / 3000K / 3500K / 4000K / 5000K / 6500K                                    |
| INNER RING COLOUR | WHITE / MATT BLACK / GOLD / ROSE GOLD /<br>CHROME / SILVER / PEARL SHINING BLACK |
| OUTER RING COLOUR | WHITE / BLACK                                                                    |
| BEAM ANGLE        | 15° / 24° / 36° / 55°<br>5° AVAILABLE IN 75mm CUTOUT                             |

## GLANZA TALL SQUARE



|                 |         |         |
|-----------------|---------|---------|
| <b>WATTAGE</b>  | 7-15W   | 18-25W  |
| <b>DIAMETER</b> | 65*65mm | 85*85mm |
| <b>HEIGHT</b>   | 121mm   | 158mm   |
| <b>CUTOUT</b>   | 58*55mm | 78*75mm |


|                   |                                                                                  |
|-------------------|----------------------------------------------------------------------------------|
| LED               | CREE / BRIDGELUX                                                                 |
| DRIVER            | PHILIPS / FULHAM / OSRAM                                                         |
| COLOUR TEMP       | 2700K / 3000K / 3500K / 4000K / 5000K / 6500K                                    |
| INNER RING COLOUR | WHITE / MATT BLACK / GOLD / ROSE GOLD /<br>CHROME / SILVER / PEARL SHINING BLACK |
| OUTER RING COLOUR | WHITE / BLACK                                                                    |
| BEAM ANGLE        | 15° / 24° / 36° / 55°<br>5° AVAILABLE IN 75mm CUTOUT                             |



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE



Honeycomb Mesh  
Available for all size



## GLANZA TALL SQUARE DOUBLE



|                 |               |                 |
|-----------------|---------------|-----------------|
| <b>WATTAGE</b>  | 7*7W / 15*15W | 18*18W / 25*25W |
| <b>DIAMETER</b> | 115*65mm      | 155*85mm        |
| <b>HEIGHT</b>   | 121mm         | 158mm           |
| <b>CUTOUT</b>   | 105*58mm      | 145*78mm        |


|                   |                                                                                  |
|-------------------|----------------------------------------------------------------------------------|
| LED               | CREE / BRIDGELUX                                                                 |
| DRIVER            | PHILIPS / FULHAM / OSRAM                                                         |
| COLOUR TEMP       | 2700K / 3000K / 3500K / 4000K / 5000K / 6500K                                    |
| INNER RING COLOUR | WHITE / MATT BLACK / GOLD / ROSE GOLD /<br>CHROME / SILVER / PEARL SHINING BLACK |
| OUTER RING COLOUR | WHITE / BLACK                                                                    |
| BEAM ANGLE        | 15° / 24° / 36° / 55°<br>5° AVAILABLE IN 75mm CUTOUT                             |

## ECO SPOTLIGHT (FRONT OPENABLE)



|                 |      |        |        |
|-----------------|------|--------|--------|
| <b>WATTAGE</b>  | 6-8W | 10-12W | 15-18W |
| <b>DIAMETER</b> | 80MM | 85MM   | 110MM  |
| <b>HEIGHT</b>   | 77MM | 78MM   | 103MM  |
| <b>CUTOUT</b>   | 55MM | 75MM   | 95MM   |

|                  |                                                                                         |
|------------------|-----------------------------------------------------------------------------------------|
| LED              | BRIDGELUX / CREE                                                                        |
| DRIVER           | PHILIPS / FULHAM / OSRAM                                                                |
| COLOUR TEMP      | 2700K / 3000K / 3500K / 4000K / 5000K / 6500K                                           |
| LUMEN EFFICIENCY | 120-140 LM / W                                                                          |
| LED BEAM ANGLE   | 36°                                                                                     |
| RING COLOUR      | WHITE / MATT BLACK / SHINING BLACK / CHROME /<br>ROSE GOLD / GOLD / PEARL SHINING BLACK |
| BODY COLOUR      | WHITE / BLACK                                                                           |
| MATERIAL         | ALUMINUM DIE CASTING                                                                    |



Honeycomb Mesh  
Available for all size



RF 2.4G



TRI COLOUR WITH RF + BT + WIFI DIMMING AVAILABLE

