




THIS CATALOGUE

Ask us for the *price.*

We share pricing personally, based on your project — so you always get the right price for your requirement.


Get your price on our website

jainsonslightsonline.com




MTS 20(20MM)

POWER
N/A
BODY CLR
BK
FEATURE
SURFACE /
HANGING
TRACK




DIMENSION	LENGTH	BEAM ANGLE
L1000xW25.5xH50mm	1M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	1500/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




MTS 20(20MM)

POWER
N/A
BODY CLR
BK
FEATURE
SURFACE /
HANGING
TRACK




DIMENSION	LENGTH	BEAM ANGLE
L2000xW25.5xH50mm	2M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	3000/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




MTS 20(20MM)

POWER
N/A
BODY CLR
BK
FEATURE
SURFACE /
HANGING
TRACK



DIMENSION	LENGTH	BEAM ANGLE
L3000xW25.5xH50mm	3M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	4500/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



CORNER^(NL-MTS20) (C TO C SF) (20MM)

POWER
N/A
BODY CLR
BK
FEATURE
SF CORNER
FOR TRACK

DIMENSION	CUTOUT	BEAM ANGLE
L100xW100xH50mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	700/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



CORNER^(NL-MTS20) (W TO C SF) (20MM)


POWER
N/A
BODY CLR
BK
FEATURE
SF CORNER
FOR TRACK

DIMENSION	OUTPUT	BEAM ANGLE
L100xW62xH100mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	700/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



CURVE CORNER^(20MM)

WATT
N/A
BODY CLR
BK
FEATURE
SURFACE



DIMENSION	CUTOUT	BEAM ANGLE
L100xW30xH25mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	3050/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



RECESSED KIT^(20MM)

POWER
N/A
BODY CLR
BK
FEATURE
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
W14xH25xW15mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	450/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



TRACK JOINTER^(SF)

POWER
N/A
BODY CLR
BK
FEATURE
SURFACE

DIMENSION	OUTPUT	BEAM ANGLE
L70xW12mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	155/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



HANGING KIT^(20MM)

WATT
N/A
BODY CLR
BK
FEATURE
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
L100xW62xH100mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	450/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

NEW

MT-FULL CIRCLE
600-SM (20MM)



POWER
N/A

FEATURE
SURFACE
FULL CIRCLE
TRACK

BODY CLR
BK

DIMENSION 600mm	OUTPUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 13500/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

NEW

MT-QUOTER CURVE
600-SM (20MM)



WATT
N/A

FEATURE
SURFACE
QUOTER
CURVE TRACK

BODY CLR
BK

DIMENSION 600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 7150/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

NEW

MT-HALF ROUND
600-SM (20MM)




WATT
N/A

FEATURE
SURFACE
HALF ROUND
TRACK

BODY CLR
BK

DIMENSION 600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 7550/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




MTR 20(20MM)


POWER
N/A

FEATURE
CONCEAL
TRACK

BODY CLR
BK



DIMENSION L1000xW62xH50mm	LENGTH 1M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 1725/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




MTR 20(20MM)


POWER
N/A

FEATURE
CONCEAL
TRACK

BODY CLR
BK



DIMENSION L2000xW62xH50mm	LENGTH 2M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 3450/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




MTR 20(20MM)


POWER
N/A

FEATURE
CONCEAL
TRACK

BODY CLR
BK



DIMENSION L3000xW62xH50mm	LENGTH 3M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 5175/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CORNER^(NL-MTR20)
(20MM)

POWER
N/A

FEATURE
C to C
RECESSED

BODY CLR
BK

DIMENSION L100XW100XH50mm	OUTPUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 700/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CORNER^(NL-MTR20)
(20MM)

WATT
N/A

FEATURE
W to C
RECESSED

BODY CLR
BK

DIMENSION L100XW60XH100mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 700/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




CURVE CORNER
(20MM)

WATT
N/A

FEATURE
RECESSED

BODY CLR
BK



DIMENSION L100XW30XH25mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 3050/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

NEW



MT-FULL CIRCLE 600-RM(20MM)

POWER
N/A
FEATURE
RECESSED
BODY CLR
FULL CIRCLE
BK TRACK

DIMENSION	CUTOUT	BEAM ANGLE
600mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	13500/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

NEW




MT-QUOTER CURVE 600-RM(20MM)

POWER
N/A
FEATURE
RECESSED
BODY CLR
QUOTER
BK CURVE TRACK

DIMENSION	OUTPUT	BEAM ANGLE
600mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	7150/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

NEW



MT-HALF ROUND 600-RM(20MM)

WATT
N/A
FEATURE
RECESSED
BODY CLR
HALF ROUND
BK TRACK

DIMENSION	CUTOUT	BEAM ANGLE
600mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	7550/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



INPUT MODULE (20MM)

POWER
N/A
FEATURE
N/A
BODY CLR
BK

DIMENSION	CUTOUT	BEAM ANGLE
L500mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	400/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



STRAIGHT MODULE (20MM)

POWER
N/A
FEATURE
N/A
BODY CLR
BK

DIMENSION	OUTPUT	BEAM ANGLE
L197XW17XH17mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	465/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



CORNER CONNECT MODULE (20MM)

POWER
N/A
FEATURE
N/A
BODY CLR
BK

DIMENSION	CUTOUT	BEAM ANGLE
L390mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	525/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



CURVE CORNER MODULE (20MM)

WATT
N/A
FEATURE
N/A
BODY CLR
BK

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	900/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



POWER SUPPLY (20MM)

POWER
100W
FEATURE
DRIVER
BODY CLR
BK

DIMENSION	OUTPUT	BEAM ANGLE
L220XW20XH45mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	1815/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



POWER SUPPLY (20MM)

POWER
200W
FEATURE
DRIVER
BODY CLR
BK

DIMENSION	OUTPUT	BEAM ANGLE
L300XW22XH45mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	2900/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

NEW


MT-CURVE
POWER SUPPLY (20MM)

POWER 100W
FEATURE POWER SUPPLY FOR CURVE TRACK
BODY CLR BK

OUTPUT
 DC 48V, 2.1AMP

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	6100/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	


NL-MT 01 (20MM) (AIR-MT01)

POWER 10W
FEATURE DIFFUSER LINEAR FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L300xW22xH25mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
900LM+-5%	3K/4K/5K	1300/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2600/-	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	3200/-	


NL-MT 01 (20MM) (AIR-MT01)

POWER 20W
FEATURE DIFFUSER LINEAR FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L600xW22xH25mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1800LM+-5%	3K/4K/5K	1770/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3375/-	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	4000/-	


NL-MT 01 (20MM)

POWER 30W
FEATURE DIFFUSER LINEAR FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L900xW22xH25mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
2700LM+-5%	3K/4K/5K	2950/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	


NL-MT 02 (20MM) (AIR-MT02)

POWER 6W
FEATURE LINEAR FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L113xW22xH25mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
540LM+-5%	3K/4K/5K	870/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2090/-	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	2900/-	


NL-MT 02 (20MM) (AIR-MT02)

POWER 12W
FEATURE LINEAR FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L220xW22xH25mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1080LM+-5%	3K/4K/5K	1305/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2650/-	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	3700/-	


NL-MT 03 (20MM) (AIR-MT03)

POWER 7W
FEATURE SPOT FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
35x80mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
630LM+-5%	3K/4K/5K	1583/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3020/-	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	4100/-	


NL-MT 03 (20MM) (AIR-MT03)

POWER 12W
FEATURE SPOT FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
45x100mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1080LM+-5%	3K/4K/5K	1895/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3600/-	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	4600/-	


NL-MT 03 (20MM)

POWER 20W
FEATURE SPOT FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
60x120mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1800LM+-5%	3K/4K/5K	2980/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



NL-MT 04^(20MM) (AIR-MT04)

POWER
6W
BODY CLR
BK

FEATURE
ADJUSTABLE
LINEAR FOR
TRACK

DIMENSION L113xW24xH108mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 540LM+-5%	CCT 3K/4K/5K	PRICE(on/off) 1940/-
NP Air (TW) 3450/-	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) 3900/-	



NL-MT 04^(20MM) (AIR-MT04)

WATT
12W
BODY CLR
BK

FEATURE
ADJUSTABLE
LINEAR FOR
TRACK

DIMENSION L221xW24xH125mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90	LED TYPE N/A
LUMENS 1080LM+-5%	CCT 3K/4K/5K	PRICE(on/off) 2717/-
NP Air (TW) 4600/-	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) 5500/-	



NL-MT 05^(20MM)

POWER
7W
BODY CLR
BK

FEATURE
HANGING
FOR TRACK

DIMENSION 40XL300mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 630LM+-5%	CCT 3K/4K	PRICE(on/off) 2920/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-MT 06^(20MM)

POWER
12W
BODY CLR
BK

FEATURE
MOVABLE
FOR TRACK

DIMENSION 90X90XH35mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 1080LM+-5%	CCT 3K/4K	PRICE(on/off) 3600/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-MT 07^(20MM)

POWER
7W
BODY CLR
BK

FEATURE
HANGING
FOR TRACK

DIMENSION 70XL50mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 630LM+-5%	CCT 3K/4K	PRICE(on/off) 3000/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-MT-CURVE-02^(20MM)

WATT
12W
BODY CLR
BK

FEATURE
GRILLE LIGHT
FOR CURVE
TRACK

DIMENSION W22xH25xL360mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP20	CRI Ra>90+	LED TYPE N/A
LUMENS 1080LM+-5%	CCT 3K/4K	PRICE(on/off) 4250/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-MT-CURVE-03^(20MM)

POWER
12W
BODY CLR
BK

FEATURE
SPOT LIGHT
FOR CURVE
TRACK

DIMENSION D50xH140mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP20	CRI Ra>90+	LED TYPE N/A
LUMENS 1080LM+-5%	CCT 3K/4K	PRICE(on/off) 3350/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	