JAINSONS LIGHTS





Price List - Aug 2026



NL-APL-001

BODY CLR SILVER+WH
FEATURE 17MM SURFACE (2MTR.)







DIMENTION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**165/-**




NL-APL-001

BODY CLR SILVER+WH
FEATURE 17MM SURFACE (3MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**184/-**




NL-APL-001

BODY CLR BK+WH
FEATURE 17MM SURFACE (2MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**212/-**



NL-APL-001

BODY CLR BK+WH
FEATURE 17MM SURFACE (3MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**236/-**



NL-APL-002

BODY CLR SILVER+WH
FEATURE 17MM CONCEAL (2MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**165/-**



NL-APL-002

BODY CLR SILVER+WH
FEATURE 17MM CONCEAL (3MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**184/-**



NL-APL-002

BODY CLR BK+WH
FEATURE 17MM CONCEAL (2MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**212/-**



NL-APL-002

BODY CLR BK+WH
FEATURE 17MM CONCEAL (3MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**236/-**




NL-APL-003

BODY CLR SILVER+WH
FEATURE 16MM CORNER (2MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**190/-**



NL-APL-003

BODY CLR BK+WH
FEATURE 16MM CORNER (2MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A


IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	283/-



NL-APL-004

BODY CLR SILVER+WH
FEATURE 1714 DEEP CONCEAL (3MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A


IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	283/-



NL-APL-004

BODY CLR BK+WH
FEATURE 1714 DEEP CONCEAL (3MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A


IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	396/-



NL-APL-005

BODY CLR SILVER+WH
FEATURE 1714 DEEP SURFACE (3MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A


IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	283/-



NL-APL-005

BODY CLR BK+WH
FEATURE 1714 DEEP SURFACE (3MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A


IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	396/-



NL-APL-006

BODY CLR SILVER+WH
FEATURE 2310(25mm) CONCEAL (2MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A


IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	260/-



NL-APL-006


BODY CLR BK+WH
FEATURE 2310(25mm) CONCEAL (2MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A


IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	373/-



NL-APL-007


BODY CLR SILVER+WH
FEATURE 2310(25mm) SURFACE (2MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A


IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	260/-



NL-APL-007

BODY CLR BK+WH
FEATURE 2310(25mm) SURFACE (2MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A


IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	373/-




NL-APL-008

BODY CLR SILVER+WH
FEATURE 1207 CONCEAL (2MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**170/-**



NL-APL-008

BODY CLR BK+WH
FEATURE 1207 CONCEAL (2MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**232/-**




NL-APL-009

BODY CLR SILVER+WH
FEATURE 1207 SURFACE (2MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**170/-**




NL-APL-009

BODY CLR BK+WH
FEATURE 1207 SURFACE (2MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**232/-**




NL-APL-010

BODY CLR SILVER+WH
FEATURE 18MM BENDABLE (2MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**179/-**



NL-APL-010

BODY CLR BK+WH
FEATURE 18MM BENDABLE (2MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**266/-**



NL-APL-012

BODY CLR SILVER+WH
FEATURE 3512 CONCEAL (3MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**407/-**



NL-APL-012

BODY CLR BK+WH
FEATURE 3512 CONCEAL (3MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**622/-**




NL-APL-013

BODY CLR SILVER+WH
FEATURE 3512 SURFACE (3MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**407/-**




NL-APL-013

BODY CLR BK+WH
FEATURE 3512 SURFACE (3MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	**CRI**	**PRICE(1 MTR)**
N/A	N/A	622/-




NL-APL-014

BODY CLR SILVER+WH
FEATURE 5012 CONCEAL (3MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	**CRI**	**PRICE(1 MTR)**
N/A	N/A	633/-



NL-APL-014

BODY CLR BK+WH
FEATURE 5012 CONCEAL (3MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	**CRI**	**PRICE(1 MTR)**
N/A	N/A	904/-




NL-APL-015

BODY CLR SILVER+WH
FEATURE 5012 SURFACE (3MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	**CRI**	**PRICE(1 MTR)**
N/A	N/A	633/-



NL-APL-015

BODY CLR BK+WH
FEATURE 5012 SURFACE (3MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	**CRI**	**PRICE(1 MTR)**
N/A	N/A	904/-



NL-APL-016

BODY CLR GREY+ SILICONE
FEATURE UPDOWN SURFACE FURNITURE & CABINET PROFILE (2MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	**CRI**	**PRICE(1 MTR)**
N/A	N/A	464/-



NL-APL-017

BODY CLR GREY + SILICONE
FEATURE FURNITURE 4MM SLIM PROFILE (2MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	**CRI**	**PRICE(1 MTR)**
N/A	N/A	288/-



NL-APL-018

BODY CLR GREY + SILICONE
FEATURE 12MM 45° CORNER SF PROFILE (2MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	**CRI**	**PRICE(1 MTR)**
N/A	N/A	390/-



NL-APL-019

BODY CLR GREY+WH
FEATURE ASYMMETRIC FURNITURE PROFILE (3MTR.)





DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	**CRI**	**PRICE(1 MTR)**
N/A	N/A	469/-


NEW



NL-APL-020

BODY CLR GREY+WH
FEATURE WARDROBE HANGER PROFILE (2MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	**CRI**	**PRICE(1 MTR)**
N/A	N/A	1119/-


NEW



NL-APL-021

BODY CLR GREY+WH
FEATURE 8MM GLASS SHELF PROFILE (2MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	**CRI**	**PRICE(1 MTR)**
N/A	N/A	362/-


NEW



NL-APL-022

BODY CLR SILVER+WH
FEATURE 0708 CON (2MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	**CRI**	**PRICE(1 MTR)**
N/A	N/A	134/-


NEW



NL-APL-022

BODY CLR BK+WH
FEATURE 0708 CON (2MTR.)





DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	**CRI**	**PRICE(1 MTR)**
N/A	N/A	215/-


NEW



NL-APL-023


BODY CLR SILVER+WH
FEATURE 0708 SF (2MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	**CRI**	**PRICE(1 MTR)**
N/A	N/A	134/-


NEW



NL-APL-023

BODY CLR BK+WH
FEATURE 0708 SF (2MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	**CRI**	**PRICE(1 MTR)**
N/A	N/A	215/-


NEW



NL-APL-024

BODY CLR SILVER+WH
FEATURE 1010 CON (2MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	**CRI**	**PRICE(1 MTR)**
N/A	N/A	150/-


NEW



NL-APL-024

BODY CLR BK+WH
FEATURE 1010 CON (2MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	**CRI**	**PRICE(1 MTR)**
N/A	N/A	232/-


NEW



NL-APL-025

BODY CLR SILVER+WH
FEATURE 1010 SF (2MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	**CRI**	**PRICE(1 MTR)**
N/A	N/A	150/-


NEW



NL-APL-025

BODY CLR	FEATURE
BK+WH	1010 SF (2MTR.)





DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A


IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	232/-


NEW



NL-APL-026

BODY CLR	FEATURE
SILVER+WH	3535 CON (3MTR.)





DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A


IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	896/-


NEW



NL-APL-026

BODY CLR	FEATURE
BK+WH	3535 CON (3MTR.)





DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A


IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	1288/-


NEW



NL-APL-027

BODY CLR	FEATURE
SILVER+WH	3535 SF (3MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A


IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	896/-


NEW



NL-APL-027

BODY CLR	FEATURE
BK+WH	3535 SF (3MTR.)





DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A

IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	1288/-


NEW



NL-APL-028

BODY CLR	FEATURE
SILVER+WH	SURFACE SKIRTING WALL MOUNTED PROFILE (3MTR.)





DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A


IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	2090/-


NEW



NL-APL-028

BODY CLR	FEATURE
BK+WH	SURFACE SKIRTING WALL MOUNTED PROFILE (3MTR.)





DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A

IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	2543/-


NEW



NL-APL-029

BODY CLR	FEATURE
SILVER+WH	WALL RECESSED SKIRTING PROFILE (3MTR.)





DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A

IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	876/-


NEW



NL-APL-029

BODY CLR	FEATURE
BK+WH	WALL RECESSED SKIRTING PROFILE (3MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A


IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	1062/-



NL-APL-030

BODY CLR WH+WH
FEATURE TOP CORNER DOUBLE SIDE PROFILE (3MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**1950/-**



NL-APL-031

BODY CLR BK+WH
FEATURE 40MM CORNER PROFILE (3MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**740/-**




NL-APL-032

BODY CLR GREY+WH
FEATURE LENS PROFILE WITH ADJ BEAM ANGLE WITH TRAY (2MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**1068/-**






NL-APL-033

BODY CLR WH+WH
FEATURE TRIMLESS CEILING COVE (3MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**2238/-**



NL-APL-034

BODY CLR WH+WH
FEATURE TRIMLESS WALL WASHER (3MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**1356/-**



NL-APL-035

BODY CLR WH+WH
FEATURE UPWARD WALL WASHER PROFILE (3MTR.)





DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**729/-**


NEW




NL-APL-036

BODY CLR
GREY+WH

FEATURE
ASYMMETRIC FURNITURE PROFILE (3MTR.)





DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**418/-**


NEW




NL-APL-037

BODY CLR
BK+WH

FEATURE
SHADOW GAP PROFILE (3MTR.)





DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	PRICE(1 MTR)
N/A	**N/A**	**910/-**

NEW



SKYLINE (SET OF 5 MTR)

POWER **FEATURE**
N/A N/A

BODY CLR
BK



DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**8025/-**
Air	BT-Mesh	Zigbee
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

NEW



SKYLINE (ACCESSORIES)

POWER **FEATURE**
N/A N/A

BODY CLR
BK

DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**6206/-**
Air	BT-Mesh	Zigbee
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	

NEW




SKYLINE (STILL BELT ONLY)

POWER **FEATURE**
N/A N/A

BODY CLR
BK


DIMENSION	CUTOUT	BEAM ANGLE
N/A	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
N/A	**N/A**	**N/A**
LUMENS	CCT	PRICE(on/off)
N/A	**N/A**	**589/-** **(1 MTR PRICE)**
Air	BT-Mesh	Zigbee
N/A	**N/A**	**N/A**
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	**N/A**	



NL-SL2835 1212

TOP VIEW

POWER 10W (PER MTR)
FEATURE SILICON NEON TOP VIEW
BODY CLR WH




DIMENSION	CRI	IP RATING
N/A	**Ra>80+**	**Ip65**

LENGTH	CCT	PRICE(1 MTR)
50MTR. ROLL	**1800K**	**641/-**
LUMENS	CCT	PRICE(1 MTR)
N/A	**2700/ 4000K/6500K**	**583/-**

END CAP	MOUNTING CLIP	CORD WIRE	JOINTER
42/-	**25/-**	**84/-**	**105/-**






NL-SL2835 1616

TOP VIEW

POWER 10W (PER MTR)
FEATURE SILICON NEON TOP VIEW
BODY CLR WH



DIMENSION	CRI	IP RATING
N/A	**Ra>80+**	**Ip65**

LENGTH	CCT	PRICE(1 MTR)
50MTR. ROLL	**1800K**	**735/-**
LUMENS	CCT	PRICE(1 MTR)
N/A	**2700/ 4000K/6500K**	**693/-**

END CAP	MOUNTING CLIP	CORD WIRE	JOINTER
53/-	**32/-**	**95/-**	**105/-**







NEW



NL-SL2835 1010

SIDE VIEW

POWER 10W (PER MTR)
FEATURE SILICON NEON SIDE VIEW
BODY CLR WH



DIMENSION	CRI	IP RATING
N/A	**Ra>80+**	**Ip65**

LENGTH	CCT	PRICE(1 MTR)
50MTR. ROLL	**1800K**	**667/-**
LUMENS	CCT	PRICE(1 MTR)
N/A	**2700/ 4000K/6500K**	**614/-**

END CAP	MOUNTING CLIP	CORD WIRE	JOINTER
42/-	**25/-**	**95/-**	**105/-**







NEW



NL-SL2835 0612

SIDE VIEW

POWER 10W (PER MTR)
FEATURE SILICON NEON SIDE VIEW
BODY CLR WH



DIMENSION	CRI	IP RATING
N/A	**Ra>80+**	**Ip65**

LENGTH	CCT	PRICE(1 MTR)
50MTR. ROLL	**1800K**	**604/-**
LUMENS	CCT	PRICE(1 MTR)
N/A	**2700/ 4000K/6500K**	**551/-**

END CAP	MOUNTING CLIP	CORD WIRE	JOINTER
42/-	**25/-**	**95/-**	**105/-**







NL-SL1010



POWER N/A
FEATURE EMPTY SILICON PROFILE
BODY CLR N/A




DIMENSION	CRI	IP RATING
5MM PCB	**N/A**	**N/A**
LENGTH	CCT	PRICE(1 MTR)
100MTR. ROLL	**N/A**	**146/-**
LUMENS	CCT	PRICE
N/A	**N/A**	**N/A**

END CAP	MOUNTING CLIP	FLEXIBLE CLIP
62/-	**30/-**	**656/-**






NL-SL2014



POWER N/A
FEATURE EMPTY SILICON PROFILE
BODY CLR N/A N/A




DIMENSION	CRI	IP RATING
10MM PCB	**N/A**	**N/A**
LUMENS	CCT	PRICE(1 MTR)
N/A	**N/A**	**375/-**
LENGTH	CCT	PRICE
100MTR. ROLL	**N/A**	**N/A**

END CAP	MOUNTING CLIP	FLEXIBLE CLIP
82/-	**54/-**	**788/-**






NL-SL1616F



POWER N/A
FEATURE EMPTY SILICON PROFILE
BODY CLR N/A



DIMENSION	CRI	IP RATING
8MM PCB	**N/A**	**N/A**
LUMENS	CCT	PRICE(1 MTR)
N/A	**N/A**	**278/-**
LENGTH	CCT	PRICE
100MTR. ROLL	**N/A**	**N/A**

END CAP	MOUNTING CLIP	CORD WIRE
87/-	**56/-**	**N/A**






NL-SL3020F



POWER N/A
FEATURE EMPTY SILICON PROFILE
BODY CLR N/A



DIMENSION	CRI	IP RATING
10/2MM PCB	**N/A**	**N/A**
LUMENS	CCT	PRICE(1 MTR)
N/A	**N/A**	**586/-**
LENGTH	CCT	PRICE
100MTR. ROLL	**N/A**	**N/A**

END CAP	MOUNTING CLIP	CORD WIRE
141/-	**70/-**	**N/A**



