JAINSONS LIGHTS
SINCE 1978

Price on Request
EST. 1978

THIS CATALOGUE

Ask us for the *price.*

We share pricing personally, based on your project — so you always get the right price for your requirement.

Get your price on our website

jainsonslightsonline.com

Since 1978 · Four Delhi Showrooms · jainsonslightsonline.com

NL-4009SNS

POWER
16W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT

Motion Sensor

DIMENSION	CUTOUT	BEAM ANGLE
D170xH40mm	**N/A**	**120°**
IP RATING	CRI	LED TYPE
IP 54	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/6K	**1365/-**	**N/A**

NL-4009SNS

POWER
24W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT

Motion Sensor

DIMENSION	CUTOUT	BEAM ANGLE
D225xH40mm	**N/A**	**120°**
IP RATING	CRI	LED TYPE
IP 54	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/6K	**1940/-**	**N/A**

NL-4008(RD)

POWER
8W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE CELLING LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D90x46mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 54	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/6K	**1450/-**	**N/A**

NL-4008(SQ)

POWER
8W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE CELLING LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D90x90x46mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 54	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/6K	**1450/-**	**N/A**

NL-4008(RD)

POWER
15W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE CELLING LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D140xH46mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 54	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/6K	**2350/-**	**N/A**

NL-4008(SQ)

POWER
15W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE CELLING LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D140x140xH46mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 54	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/6K	**2350/-**	**N/A**

NL-3030

POWER
5W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
D68xH30mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 54	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/6K	**1150/-**	**N/A**

NL-2525

POWER
3W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
D60x15mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/6K	**425/-**	**N/A**

NL-2626



POWER
5W

BODY CLR
WOOD/GUN BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
D60xH14.5mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K/4K	**450/-**	**N/A**

NL-3535

POWER
10W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
D70xH95mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 54	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/6K	**1800/-**	**N/A**

NL-3535

POWER
15W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
D75xH110mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 54	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/6K	**2330/-**	**N/A**

NL-3545

POWER
7W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
60x64mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 54	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K4K/6K	**1690/-**	**N/A**

NL-3545

POWER
12W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
75x77mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 54	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/6K	**2100/-**	**N/A**

NL-3545

POWER
18W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
90x92mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 54	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/6K	**2800/-**	**N/A**

NL-6565

POWER
10W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
62x76mm	**N/A**	**36°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K/4K	**1420/-**	**N/A**

NL-6565

POWER
18W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
83x88mm	**N/A**	**36°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K/4K	**1910/-**	**N/A**

NL-6565

POWER
24W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
105x105mm	**N/A**	**36°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K/4K	**2740/-**	**N/A**

NL-6575

POWER
7W

BODY CLR
WH+WH / BK+GB

FEATURES / DESCRIPTION
RECESSED

DIMENSION	CUTOUT	BEAM ANGLE
62x58mm	**Ø55mm**	**36°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/5K	**1130/-**	**N/A**

NL-6575

POWER
12W

BODY CLR
WH+WH / BK+GB

FEATURES / DESCRIPTION
RECESSED

DIMENSION	CUTOUT	BEAM ANGLE
83x62mm	**Ø75mm**	**36°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/5K	**1495/-**	**N/A**

NL-6575

POWER
18W

BODY CLR
WH+WH / BK+GB

FEATURES / DESCRIPTION
RECESSED

DIMENSION	CUTOUT	BEAM ANGLE
105x75mm	**Ø95mm**	**36°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/5K	**2295/-**	**N/A**

NEW

NL-PR301

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
315x110mm	**N/A**	**35°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K/4K	**4790/-**	**N/A**

NEW

NL-PR301

POWER
15W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
315x110mm	**N/A**	**35°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K/4K	**5760/-**	**N/A**

NEW

Extension Pipe (NL-PR301)

BODY CLR
GREY

FEATURES / DESCRIPTION
EXTENSION BOLLARD

DIMENSION	CUTOUT	PRICE(on/off)
300mm	**N/A**	**1120/-**
DIMENSION	CUTOUT	PRICE(on/off)
600mm	**N/A**	**1875/-**

NEW

NL-PR302 HL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
HANGING

DIMENSION	CUTOUT	BEAM ANGLE
1200x90mm	**N/A**	**110°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**7100/-**	**N/A**

NEW

NL-PR302 B

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
600x65mm	**N/A**	**110°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**7825/-**	**N/A**

NEW

NL-PR302 WL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
190x135mm	**N/A**	**110°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**6370/-**	**N/A**

NEW

Extension Pipe (NL-PR302-B)

BODY CLR
GREY

FEATURES / DESCRIPTION
EXTENSION BOLLARD

DIMENSION	CUTOUT	PRICE(on/off)
300mm	**N/A**	**1120/-**
600mm	**N/A**	**1875/-**

NEW

NL-PR303

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
65x290x106mm	**N/A**	**160°**

IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**

CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K	**6270/-**	**N/A**

NEW

NL-PR303 B

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
65x600mm	**N/A**	**160°**

IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**

CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K	**7360/-**	**N/A**

NEW

NL-PR303 B

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
65x900mm	**N/A**	**160°**

IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**

CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K	**8615/-**	**N/A**

NEW



NL-PR304

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
265x120x60mm	**N/A**	**160°**

IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**

CCT	PRICE(on/off)	NP Air (TW)
3K	**5620/-**	**N/A**

NEW



NL-PR304

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
450x120x60mm	**N/A**	**160°**

IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**

CCT	PRICE(on/off)	NP Air (TW)
3K	**7715/-**	**N/A**

NEW

NL-PR305 WL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
120x225x135mm	**N/A**	**160°**

IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**

CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K	**6475/-**	**N/A**

NEW

NL-PR305 B

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
120x65x600mm	**N/A**	**160°**

IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**

CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K	**8015/-**	**N/A**

NEW

NL-PR305 B

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
120x65x900mm	**N/A**	**160°**

IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**

CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K	**9115/-**	**N/A**

NEW

NL-PR306

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
75x130mm	**N/A**	**130°**

IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**

CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K/4K	**4841/-**	**N/A**

NEW

NL-PR306

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
75x130mm	**N/A**	**130°**

IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**

CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K/4K	**5665/-**	**N/A**

NEW

NL-PR307

POWER
8W

BODY CLR
DARK GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
240x95x70mm	**N/A**	**260°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**5140/-**	**N/A**

NEW

NL-PR307

POWER
8W

BODY CLR
DARK GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
360x95x70mm	**N/A**	**260°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**5860/-**	**N/A**

NEW

NL-PR307

POWER
8W

BODY CLR
DARK GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
460x95x70mm	**N/A**	**260°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**6570/-**	**N/A**

NEW

NL-PR308

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
365x95x70mm	**N/A**	**260°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**7675/-**	**N/A**

NEW

NL-PR309

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
450x30x44x70mm	**N/A**	**130°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**5300/-**	**N/A**

NEW

NL-PR309

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
590x30x44x70mm	**N/A**	**130°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**5765/-**	**N/A**

NEW



NL-PR310

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL & CEILING LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
100x70mm	**N/A**	**130°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K/4K	**5300/-**	**N/A**

NEW



NL-PR310

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL & CEILING LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150x90mm	**N/A**	**130°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K/4K	**6850/-**	**N/A**

NEW



NL-PR311

POWER
8W

BODY CLR
SAND GREY

FEATURES / DESCRIPTION
WALL & GARDEN LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
200x60x235mm	**N/A**	**120°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**5970/-**	**N/A**

NEW

NL-PR312 S

POWER
4W

BODY CLR
SAND GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
115x81x30mm	**N/A**	**110°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2410/-**	**N/A**

NEW

NL-PR312 L

POWER
8W

BODY CLR
SAND GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150x103x30mm	**N/A**	**110°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2910/-**	**N/A**

NEW

NL-PR313

POWER
8W

BODY CLR
SAND GREY/GLASS:SMOKE

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
120x165xH145mm	**N/A**	**220°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**6120/-**	**N/A**

NEW

NL-PR314-1

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
650x200x200mm	**N/A**	**260°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**9500/-**	**N/A**

NEW

NL-PR314-2

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
750x200x200mm	**N/A**	**260°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>90+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**16500/-**	**N/A**

NEW

NL-PR451

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
103x103x63mm	**N/A**	**5°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**8900/-**	**N/A**

NEW

NL-PR451

POWER
20W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
148x148x56mm	**N/A**	**5°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**15100/-**	**N/A**

NEW

NL-PR452

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
102x102x56mm	**N/A**	**30°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**8200/-**	**N/A**

NEW

NL-PR452

POWER
24W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
148x148x56mm	**N/A**	**30°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**12000/-**	**N/A**

NEW

NL-PR453

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
95x65x100mm	**N/A**	**5°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**6300/-**	**N/A**

NEW

NL-PR453

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
150x90x90mm	**N/A**	**5°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**9750/-**	**N/A**

NEW

NL-PR453

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
95x65x100mm	**N/A**	**25°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**6300/-**	**N/A**

NEW

NL-PR453

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
150x90x90mm	**N/A**	**25°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**9750/-**	**N/A**

NEW

NL-PR454

POWER
24W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
193x140x65mm	**N/A**	**30°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**11500/-**	**N/A**

NEW

NL-PR454

POWER
36W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
272x140x65mm	**N/A**	30°
IP RATING	CRI	LED TYPE
IP 65	**Ra>80**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**13500/-**	**N/A**

NEW

NL-PR455 5D

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
65x95x65mm	**N/A**	**5°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**4950/-**	**N/A**

NEW

NL-PR455 25D

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
65x95x65mm	**N/A**	**25°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**4950/-**	**N/A**

NEW

NL-PR471



POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
295x35x45mm	**N/A**	**5°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**7800/-**	**N/A**

NEW

NL-PR471



POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
495x35x45mm	**N/A**	**5°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**13200/-**	**N/A**

NEW

NL-PR471



POWER
36W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
990x35x45mm	**N/A**	**5°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**24500/-**	**N/A**

NEW

NL-PR472-220V



POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
D495x35x45mm	**N/A**	**30°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80**	**N/A**
LUMENSE	CCT	PRICE(on/off)
1800LM±5%	**3K**	**5000/-**

NEW

NL-PR472



POWER
36W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
D990x35x45mm	**N/A**	**30°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80**	**N/A**
LUMENSE	CCT	PRICE(on/off)
3600LM±5%	**3K**	**7550/-**

NEW

NL-PR472-24V



POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
24V

DIMENSION	CUTOUT	BEAM ANGLE
D495x35x45mm	**N/A**	**30°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80**	**N/A**
LUMENSE	CCT	PRICE(on/off)
1800LM±5%	**3K**	**4100/-**

NEW

NL-PR472



POWER
36W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
24V

DIMENSION	CUTOUT	BEAM ANGLE
D990x35x45mm	**N/A**	**30°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80**	**N/A**
LUMENSE	CCT	PRICE(on/off)
3600LM±5%	**3K**	**7000/-**

NL-FL03

POWER
3W

BODY CLR
GREY/WH/BK

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D54x54mm	**Ø45x45mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**750/-**	**N/A**

NL-FL05

POWER
5W

BODY CLR
GREY/WH/BK

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D84x84mm	**70x70mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**980/-**	**N/A**

NL-FL06

POWER
1W

BODY CLR
GREY/WH/BK

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
45x78	**42mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1500/-**	**N/A**

NL-FL07

POWER
3W

BODY CLR
GREY/WH/BK

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
50x90mm	**45mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1500/-**	**N/A**

NL-FL19(RD)



POWER
1W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
45mm	**Ø40mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1040/-**	**N/A**

NL-FL19(SQ)



POWER
1W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
45X45mm	**Ø40mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1040/-**	**N/A**

NL-FL29(RD)



POWER
1W

BODY CLR
GREY,

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
45mm	**Ø40mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1040/-**	**N/A**

NL-FL29(SQ)

POWER
1W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
45X45mm	**Ø40mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1040/-**	**N/A**

NL-FL1204 S



POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
75x75x62mm	**Ø70x70mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1450/-**	**N/A**

NL-FL1204 M

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
92x70x52mm	**Ø85x65mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1450/-**	**N/A**

NL-FL1204 L



POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150x70x54mm	**Ø145x65mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2075/-**	**N/A**

NL-2009M



POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D160X100mm	**Ø125X75mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1550/-**	**N/A**

NL-2009S

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D145X70mm	**Ø105X50mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1450/-**	**N/A**

NL-2013

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D210X60X55mm	**Ø205X55X50mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1500/-**	**N/A**

NL-2802

POWER
2W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D114x114x65	**110x90x60mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1850/-**	**N/A**

NL-2802

POWER
4W

BODY CLR
GREY,

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D170x114x65	**165x90x60mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2550/-**	**N/A**

NL-2802

POWER
6W

BODY CLR
GREY,

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D226x114x65	**205x90x60mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3600/-**	**N/A**

NL-2008

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D104x60x53mm	**99x54x48mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**830/-**	**N/A**

NL-2010

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D104x59x53mm	**99x54x48mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**830/-**	**N/A**



NL-2005

POWER
3W

BODY CLR
GREY,

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D103x58x55mm	**98x53x50mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1200/-**	**N/A**

NL-0206

POWER
2x3W

BODY CLR
GREY,

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D130x60mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1925/-**	**N/A**



NL-2104

POWER
4W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D93x71x45mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**855/-**	**N/A**

NL-2108

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D150x71x45mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1030/-**	**N/A**

NL-2202

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
148x35	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2525/-**	**N/A**

NL-2203

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
148x35x148mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2750/-**	**N/A**

NL-3202

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D102xH35mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1500/-**	**N/A**

NL-3203

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
102x102x35mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1500/-**	**N/A**

NL-2204

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
200x35x90mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2975/-**	**N/A**

NL-2204

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
250x100x40mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3850/-**	**N/A**

NL-1204

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D92x70xH32mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1250/-**	**N/A**

NL-1204

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D150x70xH32mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1725/-**	**N/A**



NL-5085

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
220x80x110mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3100/-**	**N/A**



NL-5086

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
220x80x110mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3100/-**	**N/A**

NL-5087

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
111x111x105mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2700/-**	**N/A**

NL-5089

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
111x111x105mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2700/-**	**N/A**

NL-4070(SQ)

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D108x82mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1850/-**	**N/A**

NL-4070(RD)

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D108x80mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1850/-**	**N/A**

NL-5040

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
180x115x60mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2690/-**	**N/A**

NL-5060

POWER
9W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D165x35mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2190/-**	**N/A**

NL-5065

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
220x135mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2622/-**	**N/A**

NL-5065

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
280x135mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**4070/-**	**N/A**

NEW

NL-5075

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3170/-**	**N/A**

NEW

NL-5075

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
200mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3400/-**	**N/A**

NEW

NL-5075

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
250mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**4125/-**	**N/A**

NEW

NL-3037

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
121x63x60mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3100/-**	**N/A**

NEW

NL-3038



POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
121x75x75mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3100/-**	**N/A**

NL-8109

POWER
9W

BODY CLR
GREY/WH

FEATURES / DESCRIPTION
WALL WASHER LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D125x92xH39mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
2700K	**2640/-**	**N/A**

NL-8509

POWER
9W

BODY CLR
GREY/WH

FEATURES / DESCRIPTION
WALL WASHER LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D85x85xH68	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
2700K	**2640/-**	**N/A**

NEW

NL-8209

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D140x130xH60	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3475/-**	**N/A**



NL-2007

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D25x25xH75	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1350/-**	**N/A**



NL-2007

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D60x40xH120mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1640/-**	**N/A**

NL-3303

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
74x50x109mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1290/-**	**N/A**

NL-3303

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
50x74x142mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2050/-**	**N/A**

NL-3304

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
74x50x109	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1290/-**	**N/A**

NL-3304

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
50x74x142mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2050/-**	**N/A**

NL-5005

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D68x80xH100mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1575/-**	**N/A**

NL-5010

POWER
2x5W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D68x80xH160mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2225/-**	**N/A**

NL-6005

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D68x80xH100mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1575/-**	**N/A**

NL-6010

POWER
2x5W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D68x80xH160mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2225/-**	**N/A**

NL-2503

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D75x80x63mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**790/-**	**N/A**

NL-2506

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D142x80x63mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**955/-**	**N/A**

NL-1506

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D200x95x55mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1825/-**	**N/A**

NL-3019

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D85x65xH100mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1560/-**	**N/A**

NL-3019

POWER
2x5W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D85x65xH130mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1940/-**	**N/A**

NL-3019

POWER
9W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D90x120xH130mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2900/-**	**N/A**

NL-3019

POWER
2X9W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D90x120xH130mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3650/-**	**N/A**

NL-3001

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D65x95xH100mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1760/-**	**N/A**

NL-3001

POWER
2x5W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D65x100xH110mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2285/-**	**N/A**

NL-3001

POWER
9W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D90x120xH138mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2900/-**	**N/A**

NL-3001

POWER
2X9W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D90x120xH155mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3729/-**	**N/A**

NL-5017

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D54x66x56mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1050/-**	**N/A**

NL-5017

POWER
2x5W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D54x100x56mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1560/-**	**N/A**

NL-6019

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D54x66x56mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1050/-**	**N/A**

NL-6019

POWER
2x5W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D54x100x56mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1560/-**	**N/A**

NL-3503

POWER
1x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D53x42xH80mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**940/-**	**N/A**

NL-3503

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D53x42xH135mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1400/-**	**N/A**



NL-252

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D55x89x161mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1575/-**	**N/A**

NL-3007

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D100x75.6xH160mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2250/-**	**N/A**

NL-202

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
80x60x35mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1140/-**	**N/A**

NL-202

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
80x60x35mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1480/-**	**N/A**

NL-204

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D85x56xH90mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1620/-**	**N/A**

NL-2068

POWER
1x3W

BODY CLR
WH/GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D45x12xH50mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**970/-**	**N/A**

NL-2068

POWER
2x3W

BODY CLR
WH/GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D45x12xH50mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1050/-**	**N/A**



NL-4032

POWER
1W

BODY CLR
WH/GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
50x35mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1102/-**	**N/A**

NL-4032

POWER
2W

BODY CLR
WH/GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
50x35mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1265/-**	**N/A**

NL-1616

POWER
16W

BODY CLR
GREY

FEATURES / DESCRIPTION
360°LIGHT DISTRIBUTION
16 SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D134x43mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3275/-**	**N/A**

NL-4030

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
85x82x70mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1980/-**	**N/A**

NL-4004

POWER
1x2W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
70x70x51	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**855/-**	**N/A**

NL-4004

POWER
1x4W

BODY CLR
GREY

FEATURES / DESCRIPTION
4 SIDE

DIMENSION	CUTOUT	BEAM ANGLE
70x70x51	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**950/-**	**N/A**

NL-6006

POWER
1x6W

BODY CLR
GREY

FEATURES / DESCRIPTION
6 SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D120xH50mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1900/-**	**N/A**

NL-8012

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
360°LIGHT DISTRIBUTION
12 SIDE

DIMENSION	CUTOUT	BEAM ANGLE
120x56MM	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2460/-**	**N/A**

NL-2012SQ



POWER
4x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
4 SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D100x100xH51mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2400/-**	**N/A**

NL-7007

POWER
1x4+3W

BODY CLR
GREY

FEATURES / DESCRIPTION
4 SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D100x100xH65mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2370/-**	**N/A**

NL-4012

POWER
4x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
4 SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D100x90mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2250/-**	**N/A**

NL-4014

POWER
5x1W

BODY CLR
GREY

FEATURES / DESCRIPTION
5 SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D95x85mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1800/-**	**N/A**

NL-4094

POWER
4W

BODY CLR
WH/GREY

FEATURES / DESCRIPTION
4 SIDE

DIMENSION	CUTOUT	BEAM ANGLE
45x45mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1600/-**	**N/A**

NL-6106



POWER
3X1W

BODY CLR
GREY

FEATURES / DESCRIPTION
3 SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D50xH30mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1400/-**	**N/A**



NL-6106

POWER
6x1W

BODY CLR
GREY

FEATURES / DESCRIPTION
6 SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D83xH30mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2300/-**	**N/A**

NL-1004

POWER
1x4W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D115x38xH78mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1150/-**	**N/A**

NL-1004

POWER
1x6W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D168x45xH78mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1450/-**	**N/A**

NL-1044

POWER
4x1W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
35x20x96mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1525/-**	**N/A**

NL-1044

POWER
8x1W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
35x20x203mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2475/-**	**N/A**

NL-1044

POWER
12x1W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
35x20x290mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3150/-**	**N/A**

NL-6020

POWER
2x6W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
114x28x90mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1725/-**	**N/A**

NL-6020

POWER
2x8W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
174x28x90mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2070/-**	**N/A**

NL-4504

POWER
1x2W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
80x38x70mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1100/-**	**N/A**

NL-4504

POWER
1x4W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
115x38x78mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1750/-**	**N/A**

NL-4504

POWER
1x6W

BODY CLR
WH/GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
168x38x58mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2340/-**	**N/A**

NL-4022

POWER
1x1W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
33x45x35mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1100/-**	**N/A**

NL-4022

POWER
2x1W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
33x45x35mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1200/-**	**N/A**

NL-999

POWER
2x3W

BODY CLR
WH/BKGREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D100x100xH100mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2080/-**	**N/A**

NL-8003

POWER
1x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
3 SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D160x50mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1790/-**	**N/A**



NL-6021

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
25x25xH145mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1525/-**	**N/A**



NL-6021

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
25x25xH205mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2165/-**	**N/A**



NL-6021

POWER
15W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
25x25xH300mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3120/-**	**N/A**

NL-4060(SQ)

POWER
2x6W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D90x80x110mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2300/-**	**N/A**

NL-4060(RD)

POWER
2x6W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
83x110mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2300/-**	**N/A**



NL-4050(SQ)

POWER
2x6W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
90x69x110MM	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2925/-**	**N/A**

NL-4050(RD)

POWER
2x6W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
69x110MM	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2925/-**	**N/A**

NL-6003

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D65x230mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2350/-**	**N/A**

NL-6065

POWER
12W

BODY CLR
WH/GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
72x65x230mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**4250/-**	**N/A**

NL-6303

POWER
15W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
170x100x192mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3950/-**	**N/A**

NL-6018

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
160x156x220mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**4400/-**	**N/A**

NL-7003

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
121x152x465mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2950/-**	**N/A**

NL-7003(S)

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT (WITH SENSOR)

DIMENSION	CUTOUT	BEAM ANGLE
121x152x465mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3600/-**	**N/A**

NL-9003

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
168x150x124mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3150/-**	**N/A**

NL-6001

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
195x75x170mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3990/-**	**N/A**

NL-6001

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
170x75x170mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3990/-**	**N/A**

NL-3912WL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
180x81mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3770/-**	**N/A**

NL-3912AL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
230x185mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**4850/-**	**N/A**

NL-3712WL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
180x111mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3750/-**	**N/A**

NL-3712AL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
230x212mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**4825/-**	**N/A**

NL-36WL(SQ)

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150x150xH45mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3050/-**	**N/A**

NL-36WL(RD)

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150xH45mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3050/-**	**N/A**

NL-5505

POWER
7W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
80x91x288mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
GREEN	**1250/-**	**N/A**

NL-5505

POWER
12W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
88x105x300mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
GREEN	**1710/-**	**N/A**

NL-5505

POWER
7W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
80x91x288mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1165/-**	**N/A**

NL-5505

POWER
12W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
88x105x300mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1560/-**	**N/A**

NL-7788

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
100x45xH160mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1410/-**	**N/A**

NL-7788

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
100x66xH160mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1890/-**	**N/A**

NL-7788

POWER
14W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
100x66xH160mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2525/-**	**N/A**

NL-7788 B

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
WALL & FLOOR BASE

DIMENSION	CUTOUT	BEAM ANGLE
100x45xH160mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1800/-**	**N/A**

NL-7788 B

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
WALL & FLOOR BASE

DIMENSION	CUTOUT	BEAM ANGLE
100x66xH160mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2230/-**	**N/A**

NL-7788 B

POWER
14W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
WALL & FLOOR BASE

DIMENSION	CUTOUT	BEAM ANGLE
100x66xH160mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2865/-**	**N/A**

NL-7788 X

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE WITH HOOD

DIMENSION	CUTOUT	BEAM ANGLE
100x66xH160mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1960/-**	**N/A**

NL-7788 X

POWER
14W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE WITH HOD

DIMENSION	CUTOUT	BEAM ANGLE
100x66xH160mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2550/-**	**N/A**

SPIKE

POWER
3W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
42xH72mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
WW/WH	**885/-**	**N/A**

SPIKE

POWER
3W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
42xH72mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
BL/RD/GR/PK/AR	**1075/-**	**N/A**

SPIKE

POWER
7W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
50xH78mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
WW/WH	**1275/-**	**N/A**

SPIKE

POWER
7W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
50xH78mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
BL/RD/GR/PK/AR	**1475/-**	**N/A**

SPIKE

POWER
12W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
63xH83mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
WW/WH	**1765/-**	**N/A**

NL-SPIKE

POWER
12W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
63xH83mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
BL/RD/GR/PK/AR	**2075/-**	**N/A**

NL-5088

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
45x88x75mm	**N/A**	**15°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1710/-**	**N/A**

NL-5088

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
57x105x88.5mm	**N/A**	**24°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2330/-**	**N/A**

NL-5088

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
57x115x88.5mm	**N/A**	**24°**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2900/-**	**N/A**

NL-9988

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION	CUTOUT	BEAM ANGLE
70x106MM	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1510/-**	**N/A**

NL-9988

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION	CUTOUT	BEAM ANGLE
70x106MM	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2025/-**	**N/A**

NL-9988

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION	CUTOUT	BEAM ANGLE
91.5X115MM	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3300/-**	**N/A**

NL-9988

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION	CUTOUT	BEAM ANGLE
91.5X115MM	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3950/-**	**N/A**

NL-1166 SPIKE

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
37x105x262MM	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1770/-**	**N/A**

NL-1166 SPIKE

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
52x142x277MM	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2500/-**	**N/A**

NL-1166 SURFACE

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION	CUTOUT	BEAM ANGLE
37x105x155x60MM	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2050/-**	**N/A**

NL-1166 SURFACE

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION	CUTOUT	BEAM ANGLE
54X142X175X80MM	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2850/-**	**N/A**

NL-7744

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
PILLAR HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
D42xH105MM	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1340/-**	**N/A**

NL-7744

POWER
15W

BODY CLR
GREY

FEATURES / DESCRIPTION
PILLAR HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
D79xH153MM	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2480/-**	**N/A**

NL-7744

POWER
20W

BODY CLR
GREY

FEATURES / DESCRIPTION
PILLAR HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
D80xH190MM	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3130/-**	**N/A**

NL-7744(X)

NEW

POWER
24W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
110x140x380mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3765/-**	**N/A**

NL-GB221

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D110xH112mm	**Ø105x115mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3155/-**	**N/A**

NL-GB222

POWER
1*2W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(1 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
105x130mm	**Ø95x100mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2880/-**	**N/A**

NL-GB222

POWER
2*2W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(2 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
105x130mm	**Ø95x100mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3060/-**	**N/A**

NL-GB222

POWER
3*2W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(3 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
105x130mm	**Ø95x100mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3250/-**	**N/A**

NL-GB222

POWER
4*2W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(4 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
105x130mm	**Ø95x100mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3450/-**	**N/A**

NL-GB223/1

POWER
0.5W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(1 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
65x70mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1750/-**	**N/A**

NL-GB223/2

POWER
1W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(2 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
65x70mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1775/-**	**N/A**

NL-GB223/3

POWER
1.5W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(3 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
65x70mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1850/-**	**N/A**

NL-GB223/4

POWER
2W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(4 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
65x70mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1890/-**	**N/A**

NL-GB225

POWER
5W

BODY CLR
GREY

REFLECTOR
IN-GROUND LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D65xH78mm	**Ø60mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1440/-**	**N/A**

NL-GB225

POWER
10W

BODY CLR
GREY

REFLECTOR
IN-GROUND LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D105xH80mm	**Ø100mm**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2010/-**	**N/A**

NL-GB226

POWER
3W

BODY CLR
GREY

REFLECTOR
IN-GROUND LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
65x78mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**RA>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1350/-**	**N/A**

NEW

NL-GB226

POWER
7W

BODY CLR
GREY

REFLECTOR
IN-GROUND LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
105x80mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**RA>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1950/-**	**N/A**

NL-4082

POWER
12W

BODY CLR
BLACK

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
210x130x270mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**5150/-**	**N/A**

NL-9912

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION	CUTOUT	BEAM ANGLE
150x290mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**5050/-**	**N/A**

NL-9067

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION	CUTOUT	BEAM ANGLE
170x230x193mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3650/-**	**N/A**

NL-9067WL

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
170x297mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3650/-**	**N/A**

NL-9007

POWER
8W

BODY CLR
BLACK

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION	CUTOUT	BEAM ANGLE
150x290mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3675/-**	**N/A**

NL-9007WL

POWER
8W

BODY CLR
BLACK

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150xH230mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3675/-**	**N/A**

NL-16002

POWER
B22

BODY CLR
BK/ANTIQUE GOLD

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION	CUTOUT	BEAM ANGLE
210xH375mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 54	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
N/A	**3590/-**	**N/A**

NL-16004

POWER
B22

BODY CLR
BK/ANTIQUE GOLD

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION	CUTOUT	BEAM ANGLE
210xH375mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 54	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
N/A	**3590/-**	**N/A**

NL-16006

POWER
B22

BODY CLR
BK/ANTIQUE GOLD

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION	CUTOUT	BEAM ANGLE
210xH375mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 54	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
N/A	**3590/-**	**N/A**

NL-4090(SQ)

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP & GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D105x105xH108mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1825/-**	**N/A**

NL-4090(RD)

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP & GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D108x105mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1825/-**	**N/A**

NL-4080(SQ)

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP & GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D160x160xH100mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3750/-**	**N/A**

NL-4080 (RD)

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP & GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D160xH100mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3750/-**	**N/A**

NL-1064

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
224x225mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**6000/-**	**N/A**

NL-9009

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
250x250x215mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**6575/-**	**N/A**

NL-2408

POWER
E27(Base)

BODY CLR
GERY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150x175mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2810/-**	**N/A**

NL-2408

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
225X225mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**4890/-**	**N/A**

NL-1062

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150x160mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2912/-**	**N/A**

NL-1062

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
200x250mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**4888/-**	**N/A**

NL-1062

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
250x265mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**5925/-**	**N/A**

NL-1190

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D225x225xH250mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**5910/-**	**N/A**

NL-4250

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150xH230mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3595/-**	**N/A**

NL-15140

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150xH250mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**4075/-**	**N/A**

NL-8203

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150xH213mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**4160/-**	**N/A**

NL-6430

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150xH250mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**5250/-**	**N/A**

NL-7021

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
225x230mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**5000/-**	**N/A**

NL-1116

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150x213mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3225/-**	**N/A**

NL-1113

POWER
E27(Base)

BODY CLR
GERY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D150xH213mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3225/-**	**N/A**

NL-3506



POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
175x225mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**7700/-**	**N/A**

NL-5031

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
250x225mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**9050/-**	**N/A**

NL-15370

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150x150mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**4210/-**	**N/A**

NL-1066

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150xH225mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3275/-**	**N/A**

NL-0064

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
300mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**5772/-**	**N/A**

NL-1082

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
225x200MM	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2560/-**	**N/A**

NEW

NL-7906 WL

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP

DIMENSION	CUTOUT	BEAM ANGLE
72x140x180	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2355/-**	**N/A**

NEW

NL-7906

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
L72xW105xH500	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3425/-**	**N/A**

NEW

NL-7906

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
L72xW105xH1000	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**Ra>80+**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3855/-**	**N/A**

NEW

NL-7906

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
L72xW105xH1500	**Ra>80+**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**4390/-**	**N/A**

NL-7035

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP

DIMENSION	CUTOUT	BEAM ANGLE
170x340x212mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**10650/-**	**N/A**

NL-7035

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION	CUTOUT	BEAM ANGLE
170x300mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**10750/-**	**N/A**

NL-7035

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
800x170mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**15000/-**	**N/A**

NL-7037

POWER
16W

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION	CUTOUT	BEAM ANGLE
170x300mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**9250/-**	**N/A**

NL-7037

POWER
16W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP

DIMENSION	CUTOUT	BEAM ANGLE
220x190x170mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**8700/-**	**N/A**

NL-7037

POWER
16W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
170x1000mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**11600/-**	**N/A**

NL-7038

POWER
24W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP

DIMENSION	CUTOUT	BEAM ANGLE
260x340x220mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**11500/-**	**N/A**

NL-7038

POWER
24W

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION	CUTOUT	BEAM ANGLE
350x220mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**11500/-**	**N/A**

NL-7038

POWER
24W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
220x1000mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**14500/-**	**N/A**

NL-8164

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
88xH200mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2110/-**	**N/A**

NL-8164

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
88xH600mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3710/-**	**N/A**

NL-8164

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150xH552mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3810/-**	**N/A**

NL-2038

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
H300mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2125/-**	**N/A**

NL-2038

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
H600MM	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3225/-**	**N/A**

NL-2038

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
H750mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3990/-**	**N/A**

NL-1028

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
D200xH200mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2288/-**	**N/A**

NL-1028

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
D200xH600mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3265/-**	**N/A**

NL-1028

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
D200xH750mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**4215/-**	**N/A**

NL-1404

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
D88xH200mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2290/-**	**N/A**

NL-1404

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
D88xH600mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3225/-**	**N/A**

NL-1036

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150x275mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2235/-**	**N/A**

NL-1036

POWER
E27(Base)

BODY CLR
GERY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150x600mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3536/-**	**N/A**

NL-1036

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150x750mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**4000/-**	**N/A**



NL-1038

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
225x200mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2550/-**	**N/A**

NL-1038

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
275x250mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**3850/-**	**N/A**

NL-1038

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
225x600mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**4000/-**	**N/A**

NL-1038

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
225x750mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**4990/-**	**N/A**

NL-8204

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150xH350mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**6970/-**	**N/A**

NL-8204

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150xH650mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**12110/-**	**N/A**

NL-4031

POWER
24W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
250xH260mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**6475/-**	**N/A**

NL-4031

POWER
24W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
250xH600mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**7990/-**	**N/A**

NL-5210

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
123xH300mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2915/-**	**N/A**

NL-5210

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
123xH600mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**5250/-**	**N/A**

NL-5210

POWER
E27(Base)

BODY CLR
GERY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
123xH800mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**6350/-**	**N/A**

NL-1456

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
165x200mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**1560/-**	**N/A**

NL-1456

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
165x600mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**4240/-**	**N/A**

NL-1270

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
175xH240mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**2135/-**	**N/A**

NL-1270

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
175xH600mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**4420/-**	**N/A**

NEW

NL-71990

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
80xH600mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**5250/-**	**N/A**

NL-3712

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
180x300mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**6200/-**	**N/A**

NL-3712

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
180x600mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**8200/-**	**N/A**

NL-3712

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
180x800mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**9400/-**	**N/A**

NL-3912

POWER
12W

BODY CLR
GERY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
180x300mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**6350/-**	**N/A**

NL-3912

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
180x600mm	**N/A**	**N/A**
IP RATING	CRI	LED TYPE
IP 65	**N/A**	**N/A**
CCT	PRICE(on/off)	NP Air (TW)
3K	**8425/-**	**N/A**