

JAINSONS LIGHTS

Illuminate
The
Extraordinary



Price List - Aug 2026



NL-4009SNS

POWER
16W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT


Motion Sensor

DIMENSION	CUTOUT	BEAM ANGLE
D170xH40mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 54	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/6K	1502/-	N/A



NL-4009SNS

POWER
24W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT


Motion Sensor

DIMENSION	CUTOUT	BEAM ANGLE
D225xH40mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 54	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/6K	2134/-	N/A



NL-4098SNS

POWER
10W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT


3K 4K 5K 6K

DIMENSION	CUTOUT	BEAM ANGLE
D132xH36mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 54	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/5K/6K	1525/-	N/A



NL-4098SNS

POWER
16W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT


3K 4K 5K 6K

DIMENSION	CUTOUT	BEAM ANGLE
D155xH36mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 54	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/5K/6K	1725/-	N/A



NL-4008(RD)

POWER
8W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT

DIMENSION D90x46mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 1595/-	NP Air (TW) N/A



NL-4008(SQ)

POWER
8W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT

DIMENSION D90x90x46mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 1595/-	NP Air (TW) N/A



NL-4008(RD)

POWER
15W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT

DIMENSION D140xH46mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 2585/-	NP Air (TW) N/A



NL-4008(SQ)

POWER
15W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT

DIMENSION D140x140xH46mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 2585/-	NP Air (TW) N/A



NL-3030

POWER
5W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION D68xH30mm	CUTOUT N/A	BEAM ANGLE 45°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 1265/-	NP Air (TW) N/A




NL-2525

POWER
3W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE

DIMENSION D60x15mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 468/-	NP Air (TW) N/A



NL-2626

POWER
5W

BODY CLR
WOOD/GUN BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION D60xH14.5mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K	PRICE(on/off) 495/-	NP Air (TW) N/A



NL-3535

POWER
10W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION D70xH95mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 1980/-	NP Air (TW) N/A



NL-3535

POWER
15W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION D75xH110mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 2563/-	NP Air (TW) N/A



NL-3545

POWER
7W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION 60x64mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 1859/-	NP Air (TW) N/A



NL-3545

POWER
12W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION 75x77mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 2310/-	NP Air (TW) N/A



NL-3545

POWER
18W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION 90x92mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 3080/-	NP Air (TW) N/A



NL-6565

POWER
10W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
62x76mm	N/A	36°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/4K	1562/-	N/A



NL-6565

POWER
18W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
83x88mm	N/A	36°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/4K	2101/-	N/A



NL-6565

POWER
24W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
105x105mm	N/A	36°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/4K	3014/-	N/A



NL-6575

POWER
7W

BODY CLR
WH+WH / BK+GB

FEATURES / DESCRIPTION
RECESSED

DIMENSION	CUTOUT	BEAM ANGLE
62x58mm	Ø55mm	36°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/5K	1243/-	N/A



NL-6575

POWER
12W

BODY CLR
WH+WH / BK+GB

FEATURES / DESCRIPTION
RECESSED

DIMENSION	CUTOUT	BEAM ANGLE
83x62mm	Ø75mm	36°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/5K	1645/-	N/A



NL-6575

POWER
18W

BODY CLR
WH+WH / BK+GB

FEATURES / DESCRIPTION
RECESSED

DIMENSION	CUTOUT	BEAM ANGLE
105x75mm	Ø95mm	36°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/5K	2525/-	N/A



SHEEN(IP54)

POWER **FEATURE**
8W RECESSED

BODY CLR
BK / WH

DIMENSION	CUTOUT	BEAM ANGLE
D71xH63mm	Ø63mm	38°
IP RATING	CRI	LED TYPE
IP 54	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
720LM±5%	3K/4K/5K	2500/-

Signature



SHEEN(IP54)

POWER **FEATURE**
15W RECESSED

BODY CLR
BK / WH

DIMENSION	CUTOUT	BEAM ANGLE
D88xH80mm	Ø83mm	38°
IP RATING	CRI	LED TYPE
IP 54	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1350LM±5%	3K/4K/5K	3275/-

Signature



SHEEN(IP54)

POWER **FEATURE**
8W RECESSED

BODY CLR
GUN BK /
BRASS

DIMENSION	CUTOUT	BEAM ANGLE
D71xH63mm	Ø63mm	38°
IP RATING	CRI	LED TYPE
IP 54	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
720LM±5%	3K/4K/5K	2731/-

Signature



SHEEN^(IP54)

POWER
15W

FEATURE
RECESSED

BODY CLR
GUN BK /
BRASS

DIMENSION	CUTOUT	BEAM ANGLE
D88xH80mm	Ø83mm	38°
IP RATING	CRI	LED TYPE
IP 54	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1350LM±5%	3K/4K/5K	3528/-

Signature




NL-ZENITH-S^(IP54)

POWER
12W

BODY CLR
BK+MATT BK / WH+WH

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
D102x42xH57mm	N/A	50°
IP RATING	CRI	LUMENS
IP 54	Ra>90+	960LM±5%
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/5K	3450/-	N/A



NL-ZENITH-S^(IP54)

POWER
18W

BODY CLR
BK+MATT BK / WH+WH

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
D152x42xH57mm	N/A	50°
IP RATING	CRI	LUMENS
IP 54	Ra>90+	1440LM±5%
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/5K	4950/-	N/A



NEW



NL-PR301

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 315x110mm	CUTOUT N/A	BEAM ANGLE 35°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT ADJ SWITCH 2.7K/3K/4K	PRICE(on/off) 5269/-	NP Air (TW) N/A

NEW



NL-PR301

POWER
15W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 315x110mm	CUTOUT N/A	BEAM ANGLE 35°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT ADJ SWITCH 2.7K/3K/4K	PRICE(on/off) 6336/-	NP Air (TW) N/A

NEW



**Extension Pipe
(NL-PR301)**

BODY CLR
GREY

FEATURES / DESCRIPTION
EXTENSION BOLLARD

DIMENSION 300mm	CUTOUT N/A	PRICE(on/off) 1232/-
DIMENSION 600mm	CUTOUT N/A	PRICE(on/off) 2063/-

NEW



NL-PR302 HL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
HANGING

DIMENSION 1200x90mm	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7810/-	NP Air (TW) N/A

NEW



NL-PR302 B

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 600x65mm	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 8608/-	NP Air (TW) N/A

NEW



NL-PR302 WL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 190x135mm	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7007/-	NP Air (TW) N/A

NEW



**Extension Pipe
(NL-PR302-B)**

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
EXTENSION BOLLARD

DIMENSION	CUTOUT	PRICE(on/off)
300mm	N/A	1232/-
DIMENSION	CUTOUT	PRICE(on/off)
600mm	N/A	2063/-

NEW



NL-PR303

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
65x290x106mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT ADJ SWITCH 2.7K/3K	PRICE(on/off) 6897/-	NP Air (TW) N/A

NEW



NL-PR303 B

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
65x600mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT ADJ SWITCH 2.7K/3K	PRICE(on/off) 8096/-	NP Air (TW) N/A

NEW



NL-PR303 B


POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
65x900mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT ADJ SWITCH 2.7K/3K	PRICE(on/off) 9477/-	NP Air (TW) N/A

NEW



NL-PR304


POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
265x120x60mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT 3K	PRICE(on/off) 6182/-	NP Air (TW) N/A

NEW



NL-PR304

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
450x120x60mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT 3K	PRICE(on/off) 8487/-	NP Air (TW) N/A

NEW



NL-PR305 WL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
120x225x135mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT ADJ SWITCH 2.7K/3K	PRICE(on/off) 7123/-	NP Air (TW) N/A

NEW



NL-PR305 B

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
120x65x600mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT ADJ SWITCH 2.7K/3K	PRICE(on/off) 8817/-	NP Air (TW) N/A

NEW



NL-PR305 B


POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
120x65x900mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT ADJ SWITCH 2.7K/3K	PRICE(on/off) 10027/-	NP Air (TW) N/A

NEW



NL-PR306

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
75x130mm	N/A	130°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT ADJ SWITCH 2.7K/3K/4K	PRICE(on/off) 5325/-	NP Air (TW) N/A

NEW



NL-PR306

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
75x130mm	N/A	130°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT ADJ SWITCH 2.7K/3K/4K	PRICE(on/off) 6232/-	NP Air (TW) N/A

NEW



NL-PR307

POWER
8W

BODY CLR
DARK GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 240x95x70mm	CUTOUT N/A	BEAM ANGLE 260°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5654/-	NP Air (TW) N/A

NEW



NL-PR307

POWER
8W

BODY CLR
DARK GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 360x95x70mm	CUTOUT N/A	BEAM ANGLE 260°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6446/-	NP Air (TW) N/A

NEW



NL-PR307

POWER
8W

BODY CLR
DARK GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 460x95x70mm	CUTOUT N/A	BEAM ANGLE 260°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7227/-	NP Air (TW) N/A

NEW



NL-PR308

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 365x95x70mm	CUTOUT N/A	BEAM ANGLE 260°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 8443/-	NP Air (TW) N/A

NEW



NL-PR309

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 450x30x44x70mm	CUTOUT N/A	BEAM ANGLE 130°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5830/-	NP Air (TW) N/A

NEW



NL-PR309


POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 590x30x44x70mm	CUTOUT N/A	BEAM ANGLE 130°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6342/-	NP Air (TW) N/A

NEW



NL-PR310


POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL & CEILING LIGHT

DIMENSION 100x70mm	CUTOUT N/A	BEAM ANGLE 130°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT ADJ SWITCH 2.7K/3K/4K	PRICE(on/off) 5830/-	NP Air (TW) N/A

NEW



NL-PR310


POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL & CEILING LIGHT

DIMENSION 150x90mm	CUTOUT N/A	BEAM ANGLE 130°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT ADJ SWITCH 2.7K/3K/4K	PRICE(on/off) 7535/-	NP Air (TW) N/A

NEW



NL-PR311

POWER
8W

BODY CLR
SAND GREY

FEATURES / DESCRIPTION
WALL & GARDEN LIGHT

DIMENSION 200x60x235mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6567/-	NP Air (TW) N/A

NEW



NL-PR312 S

POWER
4W

BODY CLR
SAND GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 115x81x30mm	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2651/-	NP Air (TW) N/A

NEW



NL-PR312 L

POWER
8W

BODY CLR
SAND GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 150x103x30mm	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3201/-	NP Air (TW) N/A

NEW



NL-PR313

POWER
8W

BODY CLR
SAND GREY/GLASS:SMOKE

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 120x165xH145mm	CUTOUT N/A	BEAM ANGLE 220°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6732/-	NP Air (TW) N/A



NL-PR314-1

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
650x200x200mm	N/A	260°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	10450/-	N/A



NL-PR314-2

POWER
15W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
750x200x200mm	N/A	260°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	18150/-	N/A

NEW



NL-PR451

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
103x103x63mm	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	9790/-	N/A

NEW



NL-PR451

POWER
20W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
148x148x56mm	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	16610/-	N/A

NEW



NL-PR452

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
102x102x56mm	N/A	30°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	9020/-	N/A

NEW



NL-PR452

POWER
24W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
148x148x56mm	N/A	30°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	13200/-	N/A

NEW



NL-PR453

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
95x65x100mm	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	6930/-	N/A

NEW



NL-PR453

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
150x90x90mm	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	10725/-	N/A

NEW



NL-PR453

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
95x65x100mm	N/A	25°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	6930/-	N/A

NEW



NL-PR453

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
150x90x90mm	N/A	25°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	10725/-	N/A

NEW



NL-PR453 RGB

POWER
24W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
150x90x90mm	N/A	25°
IP RATING	CRI	LED TYPE
IP 65	Ra>80	N/A
CCT	PRICE(on/off)	NP Air (TW)
RGB	12000/-	N/A

NEW



NL-PR453 RGBW DMX

POWER
30W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
150x90x90mm	N/A	25°
IP RATING	CRI	LED TYPE
IP 65	Ra>80	N/A
CCT	PRICE(on/off)	NP Air (TW)
RGBW	13700/-	N/A

NEW



NL-PR454

POWER
24W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
193x140x65mm	N/A	30°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	12650/-	N/A

NEW



NL-PR454

POWER
36W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
272x140x65mm	N/A	30°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	14850/-	N/A

NEW



NL-PR455 5D

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
220V

DIMENSION 65x95x65mm	CUTOUT N/A	BEAM ANGLE 5°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5445/-	NP Air (TW) N/A

NEW



NL-PR455 25D

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
220V

DIMENSION 65x95x65mm	CUTOUT N/A	BEAM ANGLE 25°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5445/-	NP Air (TW) N/A

NEW



NL-PR455 RGB

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
24V

DIMENSION 95x65x100mm	CUTOUT N/A	BEAM ANGLE 25°
IP RATING IP 65	CRI Ra>80	LED TYPE N/A
CCT RGB	PRICE(on/off) 8200/-	NP Air (TW) N/A

NEW



NL-PR455 RGBW DMX

POWER
20W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
24V

DIMENSION 95x65x100mm	CUTOUT N/A	BEAM ANGLE 25°
IP RATING IP 65	CRI Ra>80	LED TYPE N/A
CCT RGBW	PRICE(on/off) 9700/-	NP Air (TW) N/A

NEW


NL-PR471

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
220V



DIMENSION 295x35x45mm	CUTOUT N/A	BEAM ANGLE 5°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 8300/-	NP Air (TW) N/A

NEW


NL-PR471

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
220V



DIMENSION 495x35x45mm	CUTOUT N/A	BEAM ANGLE 5°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 14000/-	NP Air (TW) N/A

NEW


NL-PR471

POWER
36W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
220V



DIMENSION 990x35x45mm	CUTOUT N/A	BEAM ANGLE 5°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 26000/-	NP Air (TW) N/A

NEW


NL-PR472-220V

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
220V



DIMENSION D495x35x45mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
LUMENSE 1800LM±5%	CCT 3K	PRICE(on/off) 5300/-

NEW


NL-PR472-220V

POWER
36W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
220V



DIMENSION D990x35x45mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
LUMENSE 3600LM±5%	CCT 3K	PRICE(on/off) 7950/-

NEW


NL-PR472-24V

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
24V



DIMENSION D495x35x45mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
LUMENSE 1800LM±5%	CCT 3K	PRICE(on/off) 4350/-

NEW


NL-PR472-24V

POWER
36W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
24V



DIMENSION D990x35x45mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
LUMENSE 3600LM±5%	CCT 3K	PRICE(on/off) 7450/-

NEW


**NL-PR472
RGB-24V**

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
24V



DIMENSION 495x35x45mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 65	CRI Ra>80	LED TYPE N/A
CCT RGB	PRICE(on/off) 5900/-	NP Air (TW) N/A

NEW


**NL-PR472
RGB-24V**

POWER
36W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
24V



DIMENSION 990x35x45mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 65	CRI Ra>80	LED TYPE N/A
CCT RGB	PRICE(on/off) 9100/-	NP Air (TW) N/A

NEW


**NL-PR472
RGBW DMX-24V**

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
24V



DIMENSION 495x35x45mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 65	CRI Ra>80	LED TYPE N/A
CCT RGBW	PRICE(on/off) 6800/-	NP Air (TW) N/A

NEW


**NL-PR472
RGBW DMX-24V**

POWER
36W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
24V



DIMENSION 990x35x45mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 65	CRI Ra>80	LED TYPE N/A
CCT RGBW	PRICE(on/off) 11000/-	NP Air (TW) N/A



NL-FL03

POWER
3W

BODY CLR
GREY/WH/BK

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION D54x54mm	CUTOUT Ø45x45mm	BEAM ANGLE 50°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 825/-	NP Air (TW) N/A



NL-FL05

POWER
5W

BODY CLR
GREY/WH/BK

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION D84x84mm	CUTOUT 70x70mm	BEAM ANGLE 50°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1078/-	NP Air (TW) N/A



NL-FL06

POWER
1W

BODY CLR
GREY/WH/BK

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION 45x78	CUTOUT 42mm	BEAM ANGLE 360°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1650/-	NP Air (TW) N/A



NL-FL07

POWER
3W

BODY CLR
GREY/WH/BK

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION 50x90mm	CUTOUT 45mm	BEAM ANGLE 15°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1650/-	NP Air (TW) N/A



NL-FL19(RD)

POWER
1W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION 45mm	CUTOUT Ø40mm	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1144/-	NP Air (TW) N/A




NL-FL19(SQ)

POWER
1W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION 45x45mm	CUTOUT Ø40mm	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1144/-	NP Air (TW) N/A




NL-FL29(RD)

POWER
1W

BODY CLR
GREY,

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION 45mm	CUTOUT Ø40mm	BEAM ANGLE 15°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1144/-	NP Air (TW) N/A



NL-FL29(SQ)

POWER
1W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION 45x45mm	CUTOUT Ø40mm	BEAM ANGLE 15°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1144/-	NP Air (TW) N/A



NL-FL1204 S

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION 75x75x62mm	CUTOUT Ø70x70mm	BEAM ANGLE 160°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1595/-	NP Air (TW) N/A



NL-FL1204 M

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION 92x70x52mm	CUTOUT Ø85x65mm	BEAM ANGLE 160°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1595/-	NP Air (TW) N/A




NL-FL1204 L

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION 150x70x54mm	CUTOUT Ø145x65mm	BEAM ANGLE 160°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2283/-	NP Air (TW) N/A



NL-2009M

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION D160x100mm	CUTOUT Ø125x75mm	BEAM ANGLE 45°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1705/-	NP Air (TW) N/A



NL-2009S

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D145X70mm	Ø105X50mm	45°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1595/-	N/A



NL-2013

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D210X60X55mm	Ø205X55X50mm	100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1650/-	N/A



NL-2802

POWER
2W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D114x114x65	110x90x60mm	60°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2035/-	N/A



NL-2802

POWER
4W

BODY CLR
GREY,

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D170x114x65	165x90x60mm	60°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2805/-	N/A



NL-2802

POWER
6W

BODY CLR
GREY,

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D226x114x65	205x90x60mm	60°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3960/-	N/A



NL-2008

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D104x60x53mm	99x54x48mm	45°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	913/-	N/A




NL-2010

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D104x59x53mm	99x54x48mm	45°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	913/-	N/A



NL-2005

POWER
3W

BODY CLR
GREY,

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D103x58x55mm	98x53x50mm	45°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1320/-	N/A




NL-0206

POWER
2x3W

BODY CLR
GREY,

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D130x60mm	N/A	60°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2118/-	N/A



NL-2104

POWER
4W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D93x71x45mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	941/-	N/A



NL-2108

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D150x71x45mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1133/-	N/A



NL-2202

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
148x35	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2778/-	N/A



NL-2203

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
148x35x148mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3025/-	N/A



NL-3202

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D102xH35mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1650/-	N/A



NL-3203

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
102x102x35mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1650/-	N/A



NL-2204

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
200x35x90mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3273/-	N/A




NL-2204

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
250x100x40mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4235/-	N/A




NL-1204

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D92x70xH32mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1375/-	N/A



NL-1204

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D150x70xH32mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1898/-	N/A




NL-5085

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
220x80x110mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3410/-	N/A



NL-5086

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
220x80x110mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3410/-	N/A



NL-5087

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
111x111x105mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2970/-	N/A



NL-5089

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
111x111x105mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2970/-	N/A



NL-4070(SQ)

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION D108x82mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2035/-	NP Air (TW) N/A



NL-4070(RD)

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION D108x80mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2035/-	NP Air (TW) N/A



NL-5040

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 180x115x60mm	CUTOUT N/A	BEAM ANGLE 90°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2959/-	NP Air (TW) N/A



NL-5060

POWER
9W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION D165x35mm	CUTOUT N/A	BEAM ANGLE 90°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2409/-	NP Air (TW) N/A



NL-5065

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 220x135mm	CUTOUT N/A	BEAM ANGLE 90°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2885/-	NP Air (TW) N/A



NL-5065

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 280x135mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4477/-	NP Air (TW) N/A



NL-5075

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 150x30x135mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3487/-	NP Air (TW) N/A



NL-5075

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 200x30x135mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3740/-	NP Air (TW) N/A



NL-5075

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 250x30x135mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4538/-	NP Air (TW) N/A



NL-3037

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT



DIMENSION 121x63x60mm	CUTOUT N/A	BEAM ANGLE 90°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3410/-	NP Air (TW) N/A




NL-3038

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT



DIMENSION 121x75x75mm	CUTOUT N/A	BEAM ANGLE 90°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3410/-	NP Air (TW) N/A



NL-8109

POWER
9W

BODY CLR
GREY/WH

FEATURES / DESCRIPTION
WALL WASHER LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D125x92xH39mm	N/A	3*115°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
2700K	2904/-	N/A



NL-8509

POWER
9W

BODY CLR
GREY/WH

FEATURES / DESCRIPTION
WALL WASHER LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D85x85xH68	N/A	3*115°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
2700K	2904/-	N/A




NL-8209

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D140x130xH60	N/A	3*115°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3823/-	N/A




NL-2007

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D25x25xH75	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1485/-	N/A



NL-2007

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D60x40xH120mm	N/A	5+5°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1804/-	N/A



NL-3303

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
74x50x109mm	N/A	60°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1419/-	N/A



NL-3303

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
50x74x142mm	N/A	60+60°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2255/-	N/A



NL-3304

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
74x50x109	N/A	60°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1419/-	N/A



NL-3304

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
50x74x142mm	N/A	60+60°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2255/-	N/A



NL-5005

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D68x80xH100mm	N/A	38°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1733/-	N/A



NL-5010

POWER
2x5W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D68x80xH160mm	N/A	38+38°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2448/-	N/A



NL-6005

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D68x80xH100mm	N/A	38°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1733/-	N/A



NL-6010

POWER
2x5W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D68x80xH160mm	N/A	38+38°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2448/-	N/A



NL-2503

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D75x80x63mm	N/A	36°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	869/-	N/A




NL-2506

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D142x80x63mm	N/A	36+36°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1051/-	N/A



NL-1506

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D200x95x55mm	CUTOUT N/A	BEAM ANGLE 10+60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2008/-	NP Air (TW) N/A



NL-3019

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D85x65xH100mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1716/-	NP Air (TW) N/A



NL-3019

POWER
2x5W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D85x65xH130mm	CUTOUT N/A	BEAM ANGLE 38+38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2134/-	NP Air (TW) N/A



NL-3019

POWER
9W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D90x120xH130mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3190/-	NP Air (TW) N/A



NL-3019

POWER
2X9W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D90x120xH130mm	CUTOUT N/A	BEAM ANGLE 38+38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4015/-	NP Air (TW) N/A



NL-3001

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D65x95xH100mm	CUTOUT N/A	BEAM ANGLE 40°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1936/-	NP Air (TW) N/A



NL-3001

POWER
2x5W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D65x100xH110mm	CUTOUT N/A	BEAM ANGLE 40+40°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2514/-	NP Air (TW) N/A



NL-3001

POWER
9W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D90x120xH138mm	CUTOUT N/A	BEAM ANGLE 40°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3190/-	NP Air (TW) N/A



NL-3001

POWER
2X9W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D90x120xH155mm	CUTOUT N/A	BEAM ANGLE 40+40°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4102/-	NP Air (TW) N/A



NL-5017

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D54x66x56mm	CUTOUT N/A	BEAM ANGLE 40°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1155/-	NP Air (TW) N/A



NL-5017

POWER
2x5W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D54x100x56mm	CUTOUT N/A	BEAM ANGLE 40+40°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1716/-	NP Air (TW) N/A



NL-6019

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D54x66x56mm	CUTOUT N/A	BEAM ANGLE 40°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1155/-	NP Air (TW) N/A



NL-6019

POWER
2x5W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D54x100x56mm	CUTOUT N/A	BEAM ANGLE 40+40°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1716/-	NP Air (TW) N/A



NL-3503

POWER
1x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D53x42xH80mm	CUTOUT N/A	BEAM ANGLE 90°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1034/-	NP Air (TW) N/A



NL-3503

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D53x42xH135mm	CUTOUT N/A	BEAM ANGLE 90+90°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1540/-	NP Air (TW) N/A



NL-252

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D55x89x161mm	CUTOUT N/A	BEAM ANGLE 38+38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1733/-	NP Air (TW) N/A



NL-3007

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D100x75.6xH160mm	CUTOUT N/A	BEAM ANGLE 30+30°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2475/-	NP Air (TW) N/A



NL-202

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION 80x60x35mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1254/-	NP Air (TW) N/A



NL-202

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 80x60x35mm	CUTOUT N/A	BEAM ANGLE 60+60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1628/-	NP Air (TW) N/A



NL-204

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D85x56xH90mm	CUTOUT N/A	BEAM ANGLE 60+60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1782/-	NP Air (TW) N/A




NL-2068

POWER
1x3W

BODY CLR
WH/GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D45x12xH50mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1067/-	NP Air (TW) N/A



NL-2068

POWER
2x3W

BODY CLR
WH/GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D45x12xH50mm	CUTOUT N/A	BEAM ANGLE 60+60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1155/-	NP Air (TW) N/A



NL-4032

POWER
1W

BODY CLR
WH/GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION 50x35mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1212/-	NP Air (TW) N/A



NL-4032

POWER
2W

BODY CLR
WH/GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 50x35mm	CUTOUT N/A	BEAM ANGLE 60+60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1392/-	NP Air (TW) N/A



NL-1616

POWER
16W

BODY CLR
GREY

FEATURES / DESCRIPTION
360°LIGHT DISTRIBUTION
16 SIDE

DIMENSION D134x43mm	CUTOUT N/A	BEAM ANGLE 360°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3603/-	NP Air (TW) N/A



NL-4030

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 85x82x70mm	CUTOUT N/A	BEAM ANGLE 60+60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2178/-	NP Air (TW) N/A



NL-4004

POWER
1x2W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 70x70x51	CUTOUT N/A	BEAM ANGLE 45+45°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 941/-	NP Air (TW) N/A



NL-4004

POWER
1x4W

BODY CLR
GREY

FEATURES / DESCRIPTION
4 SIDE

DIMENSION 70x70x51	CUTOUT N/A	BEAM ANGLE 4*45°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1045/-	NP Air (TW) N/A



NL-6006

POWER
1x6W

BODY CLR
GREY

FEATURES / DESCRIPTION
6 SIDE

DIMENSION D120xH50mm	CUTOUT N/A	BEAM ANGLE 6*15°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2090/-	NP Air (TW) N/A




NL-8012

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
360°LIGHT DISTRIBUTION
12 SIDE

DIMENSION 120x56MM	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2706/-	NP Air (TW) N/A



NL-2012SQ

POWER
4x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
4 SIDE

DIMENSION D100x100xH51mm	CUTOUT N/A	BEAM ANGLE 4*10°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2640/-	NP Air (TW) N/A



NL-7007

POWER
1x4+3W

BODY CLR
GREY

FEATURES / DESCRIPTION
4 SIDE

DIMENSION D100x100xH65mm	CUTOUT N/A	BEAM ANGLE 4*8°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2607/-	NP Air (TW) N/A



NL-4012

POWER
4x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
4 SIDE

DIMENSION D100x90mm	CUTOUT N/A	BEAM ANGLE 4*60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2475/-	NP Air (TW) N/A



NL-4014

POWER
5x1W

BODY CLR
GREY

FEATURES / DESCRIPTION
5 SIDE

DIMENSION D95x85mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1980/-	NP Air (TW) N/A




NL-4094

POWER
4W

BODY CLR
WH/GREY

FEATURES / DESCRIPTION
4 SIDE

DIMENSION 45x45mm	CUTOUT N/A	BEAM ANGLE 4*60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1760/-	NP Air (TW) N/A




NL-6106

POWER
3x1W

BODY CLR
GREY

FEATURES / DESCRIPTION
3 SIDE

DIMENSION D50xH30mm	CUTOUT N/A	BEAM ANGLE 3*60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1540/-	NP Air (TW) N/A




NL-6106

POWER
6x1W

BODY CLR
GREY

FEATURES / DESCRIPTION
6 SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D83xH30mm	N/A	6°60°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2530/-	N/A



NL-1004

POWER
1x4W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D115x38xH78mm	N/A	60°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1265/-	N/A



NL-1004

POWER
1x4W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D168x45xH78mm	N/A	60°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1595/-	N/A



NL-1044

POWER
4x1W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
35x20x96mm	N/A	60°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1678/-	N/A



NL-1044

POWER
8x1W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
35x20x203mm	N/A	60°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2723/-	N/A



NL-1044

POWER
12x1W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
35x20x290mm	N/A	60°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3465/-	N/A



NL-6020

POWER
2x6W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
114x28x90mm	N/A	100+100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1898/-	N/A



NL-6020

POWER
2x8W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
174x28x90mm	N/A	100+100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2277/-	N/A



NL-4504

POWER
1x2W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
80x38x70mm	N/A	45+45°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1210/-	N/A



NL-4504

POWER
1x4W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
115x38x78mm	N/A	45+45°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1925/-	N/A



NL-4504

POWER
1x6W

BODY CLR
WH/GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
168x38x58mm	N/A	45+45°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2574/-	N/A



NL-4022

POWER
1x1W

BODY CLR
WH/BK

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
33x45x35mm	N/A	60°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1210/-	N/A



NL-4022

POWER
2x1W

BODY CLR
WH/BK

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 33x45x35mm	CUTOUT N/A	BEAM ANGLE 60+60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1320/-	NP Air (TW) N/A



NL-999

POWER
2x3W

BODY CLR
WH/BK GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D100x100xH100mm	CUTOUT N/A	BEAM ANGLE ADJ BEAM ANGLE
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2288/-	NP Air (TW) N/A




NL-8003

POWER
1x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
3 SIDE

DIMENSION D160x50mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1969/-	NP Air (TW) N/A




NL-6021

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION 25x25xH145mm	CUTOUT N/A	BEAM ANGLE 180°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1678/-	NP Air (TW) N/A




NL-6021

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION 25x25xH205mm	CUTOUT N/A	BEAM ANGLE 180°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2382/-	NP Air (TW) N/A



NL-6021

POWER
15W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION 25x25xH300mm	CUTOUT N/A	BEAM ANGLE 180°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3432/-	NP Air (TW) N/A



NL-4060(SQ)

POWER
2x6W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D90x80x110mm	CUTOUT N/A	BEAM ANGLE 100+100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2530/-	NP Air (TW) N/A




NL-4060(RD)

POWER
2x6W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 83x110mm	CUTOUT N/A	BEAM ANGLE 100+100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2530/-	NP Air (TW) N/A



NL-4050(SQ)

POWER
2x6W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 90x69x110MM	CUTOUT N/A	BEAM ANGLE 100+100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3218/-	NP Air (TW) N/A



NL-4050(RD)

POWER
2x6W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 69x110MM	CUTOUT N/A	BEAM ANGLE 100+100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3218/-	NP Air (TW) N/A



NL-6003

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION D65x230mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2585/-	NP Air (TW) N/A



NL-6303

POWER
15W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 170x100x192mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4345/-	NP Air (TW) N/A



NL-6018

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 160x156x220mm	CUTOUT N/A	BEAM ANGLE 90°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4840/-	NP Air (TW) N/A



NL-7003

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 121x152x465mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3245/-	NP Air (TW) N/A



NL-7003(S)

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT (WITH SENSOR)

DIMENSION 121x152x465mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3960/-	NP Air (TW) N/A



NL-9003

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 168x150x124mm	CUTOUT N/A	BEAM ANGLE 160°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3465/-	NP Air (TW) N/A



NL-6001

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 195x75x170mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4389/-	NP Air (TW) N/A



NL-6001

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 170x75x170mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4389/-	NP Air (TW) N/A



NL-3912WL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 180x81mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4147/-	NP Air (TW) N/A



NL-3912AL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 230x185mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5335/-	NP Air (TW) N/A



NL-3712WL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 180x111mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4125/-	NP Air (TW) N/A




NL-3712AL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 230x212mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5308/-	NP Air (TW) N/A



NL-36WL(SQ)

POWER

7W


BODY CLR

GREY

FEATURES / DESCRIPTION

WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150x150xH45mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3355/-	N/A



NL-36WL(RD)

POWER

7W

BODY CLR

GREY

FEATURES / DESCRIPTION

WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150xH45mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3355/-	N/A



NL-7788

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION 100x45xH160mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1551/-	NP Air (TW) N/A



NL-7788

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION 100x66xH160mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2079/-	NP Air (TW) N/A



NL-7788

POWER
14W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION 100x66xH160mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2778/-	NP Air (TW) N/A



NL-7788 B

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
WITH BASE

DIMENSION 100x45xH160mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1980/-	NP Air (TW) N/A



NL-7788 B

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
WITH BASE

DIMENSION 100x66xH160mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2453/-	NP Air (TW) N/A



NL-7788 B

POWER
14W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
WITH BASE

DIMENSION 100x66xH160mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3152/-	NP Air (TW) N/A



NL-7788 X

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE WITH HOOD

DIMENSION 100x66xH160mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2156/-	NP Air (TW) N/A



NL-7788 X

POWER
14W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE WITH HOOD

DIMENSION 100x66xH160mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2805/-	NP Air (TW) N/A



SPIKE

POWER
3W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION 42xH72mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT WW/WH	PRICE(on/off) 974/-	NP Air (TW) N/A



SPIKE

POWER
3W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION 42xH72mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT BL/RD/GR/PK/AR	PRICE(on/off) 1183/-	NP Air (TW) N/A



SPIKE

POWER
7W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION 50xH78mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT WW/WH	PRICE(on/off) 1402/-	NP Air (TW) N/A



SPIKE

POWER
7W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION 50xH78mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT BL/RD/GR/PK/AR	PRICE(on/off) 1623/-	NP Air (TW) N/A



SPIKE

POWER
12W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION 63xH83mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT WW/WH	PRICE(on/off) 1942/-	NP Air (TW) N/A



NL-SPIKE

POWER
12W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION 63xH83mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT BL/RD/GR/PK/AR	PRICE(on/off) 2283/-	NP Air (TW) N/A



NL-5088

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION 45x88x75mm	CUTOUT N/A	BEAM ANGLE 15°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1881/-	NP Air (TW) N/A



NL-5088

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION 57x105x88.5mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2563/-	NP Air (TW) N/A



NL-5088

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION 57x115x88.5mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3190/-	NP Air (TW) N/A



NL-9988

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION 70x106MM	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1661/-	NP Air (TW) N/A



NL-9988

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION 70x106MM	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2228/-	NP Air (TW) N/A



NL-9988

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION 91.5X115MM	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3630/-	NP Air (TW) N/A



NL-9988

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION 91.5X115MM	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4345/-	NP Air (TW) N/A



NL-1166 SPIKE

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION 37x105x262MM	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1947/-	NP Air (TW) N/A



NL-1166 SPIKE

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION 52x142x277MM	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2750/-	NP Air (TW) N/A



NL-1166 SURFACE

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION 37x105x155x60MM	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2255/-	NP Air (TW) N/A



NL-1166 SURFACE

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION	CUTOUT	BEAM ANGLE
54X142X175X80MM	N/A	30°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3135/-	N/A



NL-7744

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
PILLAR HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
D42xH105MM	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1474/-	N/A



NL-7744

POWER
15W

BODY CLR
GREY

FEATURES / DESCRIPTION
PILLAR HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
D79xH153MM	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2728/-	N/A



NL-7744

POWER
20W

BODY CLR
GREY

FEATURES / DESCRIPTION
PILLAR HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
D80xH190MM	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3443/-	N/A



NL-7744(X)

POWER
24W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
110x140x380mm	N/A	40°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4142/-	N/A



NL-GB221

POWER
12W

BODY CLR
SS

FEATURES / DESCRIPTION
IN-GROUND LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D110xH112mm	Ø105x115mm	38°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3471/-	N/A



NL-GB222

POWER
1*2W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(1 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
105x130mm	Ø95x100mm	1*90°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3168/-	N/A



NL-GB222

POWER
2*2W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(2 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
105x130mm	Ø95x100mm	2*90°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3366/-	N/A



NL-GB222

POWER
3*2W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(3 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
105x130mm	Ø95x100mm	3*90°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3575/-	N/A



NL-GB222

POWER
4*2W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(4 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
105x130mm	Ø95x100mm	4*90°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3795/-	N/A



NL-GB223/1

POWER
0.5W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(1 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
65x70mm	N/A	1*90°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1925/-	N/A



NL-GB223/2

POWER
1W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(2 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
65x70mm	N/A	2*90°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1953/-	N/A



NL-GB223/3

POWER
1.5W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(3 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
65x70mm	N/A	3*90°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2035/-	N/A



NL-GB223/4

POWER
2W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(4 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
65x70mm	N/A	4*90°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2079/-	N/A



NL-GB225

POWER
5W

BODY CLR
GREY

REFLECTOR
IN-GROUND LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D65xH78mm	Ø60mm	36°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1584/-	N/A



NL-GB225

POWER
10W

BODY CLR
GREY

REFLECTOR
IN-GROUND LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D105xH80mm	Ø100mm	36°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2211/-	N/A

NEW



NL-GB226

POWER
3W

BODY CLR
SS

REFLECTOR
IN-GROUND LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
65x78mm	N/A	36°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1485/-	N/A

NEW



NL-GB226

POWER
7W

BODY CLR
SS

REFLECTOR
IN-GROUND LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
105x80mm	N/A	36°
IP RATING	CRI	LED TYPE
IP 65	RA>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2145/-	N/A



NL-4082

POWER
12W
BODY CLR
BLACK

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 210x130x270mm	CUTOUT N/A	BEAM ANGLE 160°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5665/-	NP Air (TW) N/A



NL-9912

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION 150x290mm	CUTOUT N/A	BEAM ANGLE 160°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5555/-	NP Air (TW) N/A



NL-9067

POWER
8W
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION 170x230x193mm	CUTOUT N/A	BEAM ANGLE 160°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4015/-	NP Air (TW) N/A



NL-9067WL

POWER
8W
BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 170x297mm	CUTOUT N/A	BEAM ANGLE 160°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4015/-	NP Air (TW) N/A



NL-9007

POWER
8W
BODY CLR
BLACK

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION 150x290mm	CUTOUT N/A	BEAM ANGLE 160°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4043/-	NP Air (TW) N/A



NL-9007WL

POWER
8W
BODY CLR
BLACK

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 150xH230mm	CUTOUT N/A	BEAM ANGLE 160°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4043/-	NP Air (TW) N/A



NL-16002

POWER
B22
BODY CLR
BK/ANTIQUE GOLD

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION 210xH375mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT N/A	PRICE(on/off) 3949/-	NP Air (TW) N/A



NL-16004

POWER
B22
BODY CLR
BK/ANTIQUE GOLD

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION 210xH375mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT N/A	PRICE(on/off) 3949/-	NP Air (TW) N/A



NL-16006

POWER
B22
BODY CLR
BK/ANTIQUE GOLD

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION 210xH375mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT N/A	PRICE(on/off) 3949/-	NP Air (TW) N/A



NL-4090_(SQ)

POWER
6W
BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP & GATE LIGHT

DIMENSION D105x105xH108mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2008/-	NP Air (TW) N/A



NL-4090_(RD)

POWER
6W
BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP & GATE LIGHT

DIMENSION D108x105mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2008/-	NP Air (TW) N/A



NL-4080_(SQ)

POWER
10W
BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP & GATE LIGHT

DIMENSION D160x160xH100mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4125/-	NP Air (TW) N/A



NL-4080 (RD)

POWER
10W
BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP & GATE LIGHT

DIMENSION D160xH100mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4125/-	NP Air (TW) N/A



NL-1064

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 224x225mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6600/-	NP Air (TW) N/A



NL-9009

POWER
10W
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 250x250x215mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7233/-	NP Air (TW) N/A



NL-2408

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 150x175mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3091/-	NP Air (TW) N/A



NL-2408

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 225X225mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5379/-	NP Air (TW) N/A



NL-1062

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 150x160mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3203/-	NP Air (TW) N/A



NL-1062

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 200x250mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5377/-	NP Air (TW) N/A



NL-1062

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 250x265mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6518/-	NP Air (TW) N/A



NL-1190

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION D225x225xH250mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6501/-	NP Air (TW) N/A



NL-4250

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 150xH230mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3955/-	NP Air (TW) N/A



NL-15140

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 150xH250mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4483/-	NP Air (TW) N/A



NL-8203

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 150xH213mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4576/-	NP Air (TW) N/A



NL-6430

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 150xH250mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5775/-	NP Air (TW) N/A



NL-7021

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 225x230mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5500/-	NP Air (TW) N/A



NL-1116

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 150x213mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3548/-	NP Air (TW) N/A




NL-1113

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION D150xH213mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3548/-	NP Air (TW) N/A



NL-3506

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 175x225mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 8470/-	NP Air (TW) N/A



NL-5031

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 250x225mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 9955/-	NP Air (TW) N/A



NL-15370

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 150x150mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4631/-	NP Air (TW) N/A



NL-1066

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150xH225mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3603/-	NP Air (TW) N/A



NL-0064

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 300mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6350/-	NP Air (TW) N/A



NL-1082

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 225x200MM	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2816/-	NP Air (TW) N/A

NEW



NL-7906 WL

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP

DIMENSION 72x140x180	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2591/-	NP Air (TW) N/A

NEW



NL-7906

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION L72xW105xH500	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3768/-	NP Air (TW) N/A

NEW



NL-7906

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION L72xW105xH1000	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4241/-	NP Air (TW) N/A

NEW



NL-7906

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION L72xW105xH1500	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4829/-	NP Air (TW) N/A



NL-7035

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP

DIMENSION 170x340x212mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 11715/-	NP Air (TW) N/A



NL-7035

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION 170x300mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 11825/-	NP Air (TW) N/A



NL-7035

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 800x170mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 16500/-	NP Air (TW) N/A



NL-7037

POWER
16W

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION 170x300mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 10175/-	NP Air (TW) N/A



NL-7037

POWER
16W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP

DIMENSION 220x190x170mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 9570/-	NP Air (TW) N/A



NL-7037

POWER
16W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 170x1000mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 12760/-	NP Air (TW) N/A



NL-7038

POWER
24W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP

DIMENSION 260x340x220mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 12650/-	NP Air (TW) N/A



NL-7038

POWER
24W

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION 350x220mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 12650/-	NP Air (TW) N/A



NL-7038

POWER
24W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 220x1000mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 15950/-	NP Air (TW) N/A



NL-8164

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 88xH200mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2321/-	NP Air (TW) N/A



NL-8164

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 88xH600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4081/-	NP Air (TW) N/A



NL-8164

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150xH225mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4191/-	NP Air (TW) N/A



NL-2038

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION H300mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2338/-	NP Air (TW) N/A



NL-2038

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION H600MM	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3548/-	NP Air (TW) N/A



NL-2038

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION H750mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4389/-	NP Air (TW) N/A



NL-1028

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION D200xH200mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2517/-	NP Air (TW) N/A



NL-1028

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION D200xH600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3592/-	NP Air (TW) N/A



NL-1028

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION D200xH750mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4637/-	NP Air (TW) N/A



NL-1404

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION D88xH200mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2519/-	NP Air (TW) N/A



NL-1404

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION D88xH600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3548/-	NP Air (TW) N/A



NL-1036

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150x275mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2459/-	N/A



NL-1036

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150x600mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3890/-	N/A



NL-1036

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150x750mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4400/-	N/A



NL-1038

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
225x200mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2805/-	N/A



NL-1038

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
275x250mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4235/-	N/A



NL-1038

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
225x600mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4400/-	N/A



NL-1038

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
225x750mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	5489/-	N/A



NL-8204

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150xH350mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	7667/-	N/A



NL-8204

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150xH650mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	13321/-	N/A



NL-4031

POWER
24W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
250xH260mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	7123/-	N/A



NL-4031

POWER
24W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
250xH600mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	8789/-	N/A



NL-5210

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
123xH300mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3207/-	N/A



NL-5210

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 123xH600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5775/-	NP Air (TW) N/A



NL-5210

POWER
E27(Base)

BODY CLR
GERY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 123xH800mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6985/-	NP Air (TW) N/A



NL-1456

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 165x200mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1716/-	NP Air (TW) N/A



NL-1456

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 165x600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4664/-	NP Air (TW) N/A



NL-1270

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 175xH240mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2349/-	NP Air (TW) N/A



NL-1270

POWER
E27(Base)

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 175xH600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4862/-	NP Air (TW) N/A



NL-71990

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 80xH600mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5775/-	NP Air (TW) N/A



NL-3712

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 180x300mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6820/-	NP Air (TW) N/A



NL-3712

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 180x600mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 9020/-	NP Air (TW) N/A



NL-3712

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 180x800mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 10340/-	NP Air (TW) N/A



NL-3912

POWER
12W

BODY CLR
GERY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 180x300mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6985/-	NP Air (TW) N/A



NL-3912

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 180x600mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 9268/-	NP Air (TW) N/A



NL-3912

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 180x800mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 10835/-	NP Air (TW) N/A



NL-10818

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 100xH500mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 9350/-	NP Air (TW) N/A



NL-25

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 165x300mm	CUTOUT N/A	BEAM ANGLE 320°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5225/-	NP Air (TW) N/A




NL-25

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 165x600mm	CUTOUT N/A	BEAM ANGLE 320°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6380/-	NP Air (TW) N/A



NL-7050

POWER
2x12w
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 160x85xH600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7260/-	NP Air (TW) N/A



NL-36B(SQ)

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x150xH200mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4125/-	NP Air (TW) N/A



NL-36B(SQ)

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x150xH600mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5610/-	NP Air (TW) N/A



NL-36B(SQ)

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x150xH800mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7150/-	NP Air (TW) N/A



NL-36B(RD)

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150xH200mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4125/-	NP Air (TW) N/A



NL-36B(RD)

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150xH600mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5610/-	NP Air (TW) N/A



NL-36B(RD)

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150xH800mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7150/-	NP Air (TW) N/A



NL-17(RD)

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 108xH200mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4620/-	NP Air (TW) N/A



NL-17(RD)

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 108xH600mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6600/-	NP Air (TW) N/A



NL-17(SQ)

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 108x108xH200mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4620/-	NP Air (TW) N/A



NL-17(SQ)

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 108x108xH600mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6600/-	NP Air (TW) N/A



NL-1100

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x300mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7590/-	NP Air (TW) N/A



NL-1100

POWER
12w

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x600mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 9020/-	NP Air (TW) N/A



NL-15

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x150xH200mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4895/-	NP Air (TW) N/A



NL-15

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x150xH600mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6930/-	NP Air (TW) N/A



NL-1114

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x300mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7068/-	NP Air (TW) N/A



NL-1114

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x600mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 8470/-	NP Air (TW) N/A



NL-32

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 108x200mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5940/-	NP Air (TW) N/A



NL-32

POWER
10W

BODY CLR
GERY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 108x600mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 8745/-	NP Air (TW) N/A



NL-4721

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 80x120x600mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 11660/-	NP Air (TW) N/A



NL-4721

POWER
10W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
80x120x800mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	13090/-	N/A



NL-1220

POWER
50W
BODY CLR
GREY

FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
400x250MM	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	13970/-	N/A



NL-1030

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D150x150xH230mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	5544/-	N/A



NL-1030

POWER
50W
BODY CLR
GREY

FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
425xH525mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	15290/-	N/A



NL-5180

POWER
50w
BODY CLR
GREY

FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D325xH460mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	7040/-	N/A



NL-9020

POWER
20W
BODY CLR
GREY

FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
250x350x265	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	12320/-	N/A

NEW



FLUXO (S)

POWER
20W

BODY CLR
—

FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION 245x90x53MM	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 1230/-	NP Air (TW) N/A

NEW



FLUXO (S)

POWER
30W

BODY CLR
—

FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION 295x95x53MM	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 1445/-	NP Air (TW) N/A

NEW



FLUXO (S)

POWER
50W

BODY CLR
—

FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION 380x105x73MM	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 1870/-	NP Air (TW) N/A

NEW



FLUXO (S)

POWER
100W

BODY CLR
—

FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION 435x125x73	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 2880/-	NP Air (TW) N/A



VITARA

POWER
24W

BODY CLR
—

FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 1400/-	NP Air (TW) N/A



VITARA

POWER
36W

BODY CLR
—

FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 1680/-	NP Air (TW) N/A



VITARA

POWER
50W

BODY CLR
—

FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 2675/-	NP Air (TW) N/A



VITARA

POWER
72W

BODY CLR
—

FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 3700/-	NP Air (TW) N/A



VITARA

POWER
100W

BODY CLR
—

FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 6100/-	NP Air (TW) N/A

		
NL-PL7001		
POWER 60W		
BODY CLR GREY		
FEATURES / DESCRIPTION POLE		
DIMENSION	CUTOUT	BEAM ANGLE
465x422x2500mm (2.5MTR)	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	75000/-	N/A

		
NL-PL7002		
POWER 60W		
BODY CLR GREY		
FEATURES / DESCRIPTION POLE		
DIMENSION	CUTOUT	BEAM ANGLE
492x452x2500mm (2.5MTR)	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	75000/-	N/A



XETA

POWER
15W
BODY CLR

FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	110°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	1150/-	N/A



XETA

POWER
30W
BODY CLR

FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	110°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	1650/-	N/A



XETA

POWER
60W
BODY CLR

FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	110°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	2250/-	N/A



XETA

POWER
100W
BODY CLR

FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	110°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	3850/-	N/A



XETA

POWER
150W
BODY CLR

FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	110°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	6000/-	N/A



XETA

POWER
200W
BODY CLR

FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	110°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	8000/-	N/A

NEW



FLUXO-F

POWER
50W
BODY CLR

FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
176x135x25MM	N/A	110°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	1225/-	N/A

NEW



FLUXO-F

POWER
100W
BODY CLR

FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
241x185x25mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	2100/-	N/A

NEW



FLUXO-F

POWER
200W
BODY CLR

FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
350x225x25mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	4525/-	N/A



NL-UW01

POWER
6W(DC-24V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION 180x45mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6600/-	NP Air (TW) N/A



NL-UW01

POWER
6W(AC-12V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION 180x45mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT RGB	PRICE(on/off) 7260/-	NP Air (TW) N/A



NL-UW01

POWER
12W(DC-24V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION 230x55mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7260/-	NP Air (TW) N/A



NL-UW01

POWER
12W(AC-12V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION 230x55mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT RGB	PRICE(on/off) 7920/-	NP Air (TW) N/A



NL-UW01

POWER
18W(DC-24V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION 295x80mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 10065/-	NP Air (TW) N/A



NL-UW01

POWER
18W(AC-12V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION 295x80mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT RGB	PRICE(on/off) 11770/-	NP Air (TW) N/A



NL-UW02

POWER
7W(DC 24V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D120xH105mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5775/-	NP Air (TW) N/A



NL-UW02

POWER
12W(DC 24V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D150xH105mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7810/-	NP Air (TW) N/A



NL-UW02

POWER
18W(DC 24V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D170xH123mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 9075/-	NP Air (TW) N/A



NL-UW02

POWER
24W(DC 24V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D180xH123mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 11825/-	NP Air (TW) N/A



NL-UW02

POWER
12W(AC 12V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D150xH105mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT RGB	PRICE(on/off) 10439/-	NP Air (TW) N/A



NL-UW02

POWER
18W(AC 12V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D170xH123mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT RGB	PRICE(on/off) 12650/-	NP Air (TW) N/A



NL-UW03

POWER
7W(DC 24V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D120xH118mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5115/-	NP Air (TW) N/A



NL-UW03

POWER
12W(DC 24V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D145xH122mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7590/-	NP Air (TW) N/A



NL-UW03

POWER
18W(DC 24V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D170xH123mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 10461/-	NP Air (TW) N/A



NL-UW03

POWER
24W(DC 24V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D190xH123mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 10510/-	NP Air (TW) N/A



NL-UW03

POWER
12W(AC 12V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D145xH122mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT RGB	PRICE(on/off) 10175/-	NP Air (TW) N/A



NL-UW03

POWER
18W(AC 12V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D170xH123mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT RGB	PRICE(on/off) 14025/-	NP Air (TW) N/A



NL-UW04

POWER
6W(DC 24V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D130xH71mm	NOZZLE SIZE Ø25mm	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 8500/-	NP Air (TW) N/A



NL-UW04

POWER
12W(DC 12V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D170xH80mm	CUTOUT Ø35mm	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 10650/-	NP Air (TW) N/A



NL-UW04

POWER
6W(AC 24V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D130xH71mm	NOZZLE SIZE Ø25mm	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT RGB(AUTO)	PRICE(on/off) 9500/-	NP Air (TW) N/A



NL-UW04

POWER
12W(AC 12V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D170xH80mm	CUTOUT Ø35mm	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT RGB(AUTO)	PRICE(on/off) 11650/-	NP Air (TW) N/A

WATERPROOF JOINTER



POWER
N/A
BODY CLR
—

FEATURES / DESCRIPTION
—

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT N/A	PRICE(on/off) 396/-	NP Air (TW) N/A

NL-TRANSFORMER

(Power Supply AC-12v)

220v-AC



POWER
60VA
BODY CLR
—

FEATURES / DESCRIPTION
—

INPUT N/A	OUTPUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT N/A	PRICE(on/off) 4180/-	NP Air (TW) N/A

NL-TRANSFORMER

(Power Supply AC-12v) 220v-AC



POWER
80VA

BODY CLR
—

FEATURES / DESCRIPTION
—

INPUT N/A	OUTPUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT N/A	PRICE(on/off) 4521/-	NP Air (TW) N/A

NL-TRANSFORMER

(Power Supply AC-12v) 220v-AC



POWER
150VA

BODY CLR
—

FEATURES / DESCRIPTION
—

INPUT N/A	OUTPUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT N/A	PRICE(on/off) 5775/-	NP Air (TW) N/A