

40%

DISCOUNT
ON THE LIST
PRICE

LTM-MT Series Magnetic Track price list

Item no	Picture	Dimentions	Led Colour	List Price					
				Single colour	Tunable RF + BLE	Dali	Dali Tunable	Zigbee Tunable	Analog
Magic-TC - 20mm Trimless Recessed Track-1M		1000x62.4x47mm		2256.75					
Magic-TC - 20mm Trimless Recessed Track-2M		2000x62.4x47mm		4513.5					
Magic-TC - 20mm Trimless Recessed Track-3M		3000x62.4x47mm		6770.25					
Magic-TH-20mm Surface Track-1M		1000x24.7x53.25 mm		2256.75					
Magic-TH-20mm Surface Track-2M		2000x24.7x53.25 mm		4513.5					
Magic-TH-20mm Surface Track-3M		3000x24.7x53.25 mm		6770.25					
Magic-TC- Trimless Corner		101x101x47mm		1062					
Magic-TH- Surface Corner		80x80x53.2mm		1062					
Curved corner for Surface or trimless recessed track				1593					
T corner				1327.5					
Plus Connector				1593					
Connection blades for trimless & surface track				39.825					
Magic-Hanging set				464.625					
Magic-Straight Joint		18x16x150mm		531					
Magic-Corner Joint		18x16x80mm		531					
Magic Input Module 50cm				331.875					
Magic Input Module 150cm		18x16x80mm		663.75					


Item no	Picture	Dimentions	Led Colour	List Price					
				Single colour	Tunable RF + BLE	Dali	Dali Tunable	Zigbee Tunable	Analog
End Cap Set				66.375					
Magic Laser Blade-6Led-10w		112x22x25mm, 36°, 80/90cri	3k/4k/65k /Tunable	1062	2522.25	2721.375	3517.875	3517.875	2124
Magic Laser Blade-12 led -20w		220x22x25mm, 36°, 80/90cri	3k/4k/65k /Tunable	1526.625	3451.5	3318.75	4513.5	4513.5	2588.625
Magic Movable Laser Blade-6led -10w		112x22x90mm, 36°, 80/90cri	3k/4k/65k /Tunable	1393.875	2854.125	3053.25	3849.75	3849.75	2455.875
Magic Movable Laser Blade-12 led -20w		220x22x90mm, 36°, 80/90cri	3k/4k/65k /Tunable	1991.25	3982.5	3783.375	5044.5	5044.5	3053.25
Magic Linear Diffuser-10w		205x22x25mm, 120°, 80/90cri	3k/4k/65k /Tunable	995.625	2124	2655	3053.25	3053.25	2057.625
Magic Linear Diffuser-20w		305x22x25mm, 120°, 80/90cri		1327.5	2588.625	3119.625	3584.25	3584.25	2389.5
Magic Linear Diffuser-30w		405x22x25mm, 120°, 80/90cri		1924.875	4248	5575.5	5973.75	5973.75	2986.875
Magic Corner 90° Diffuser-24w		300x320x25mm, 120°, 80/90cri	3k/4k/65k /Tunable	1991.25	4380.75	5575.5	6372	6372	3053.25
Magic Movable Linear Diffuser-10w		205x22x25mm, 120°, 80/90cri	3k/4k/65k /Tunable	1261.125	2389.5	2986.875	3451.5	3451.5	2323.125
Magic Movable Linear Diffuser-20w		305x22x25mm, 120°, 80/90cri		1858.5	2920.5	3584.25	3982.5	3982.5	2920.5
Magic Track spot 7w		35x90x105mm, 15/24/36/60°, 80/90cri	3k/4k/65k /Tunable	1659.375	2655	3451.5	3717	3717	2721.375
Magic Track spot 12w		48x150x120mm, 15/24/36/60°, 80/90cri		2190.375	3186	4115.25	4314.375	4314.375	3252.375
Magic Track spot 15w		48x150x120mm, 15/24/36/60°, 80/90cri		2389.5	3451.5	4380.75	4646.25	4646.25	3451.5
Magic Track spot 20w		48x210x126mm, 15/24/36/60°, 80/90cri		2920.5	3982.5	4779	5177.25	5177.25	3982.5

Item no	Picture	Dimentions	Led Colour	List Price					
				Single colour	Tunable RF + BLE	Dali	Dali Tunable	Zigbee Tunable	Analog
Magic Track spot 12w		D:54mm, 24/36°, 80/90cri		2190.375	3186	4115.25	4314.375	4314.375	3252.375
Magic Laser Wall Washer 6 led -10w		132x22x42mm, 30°, 80/90cri	3k/4k/65k /Tunable	1327.5	2920.5	3053.25	3982.5	3982.5	2389.5
Magic Laser Wall Washer 12 Led 20w		246x22x42mm, 30°, 80/90cri	3k/4k/65k /Tunable	1991.25	3849.75	3717	4911.75	4911.75	3053.25
Magic Spotlight 8w		110x22x42mm, 30°, 80/90cri	3k/4k/65k /Tunable	2522.25	3717	3982.5	4513.5	4513.5	3584.25
Magic Spotlight 16w		218x22x42mm, 30°, 80/90cri	3k/4k/65k /Tunable	3849.75	5509.125	5509.125	6372	6372	4911.75
Magic tube for 20mm track 10w - 1mtr		D: 20mm 1m	3k/4k/65k	2124	3385.125	3849.75	4380.75	4380.75	3186
Magic tube for 20mm track 15w - 2mtr		D:20mm 2m		2323.125	3783.375	3849.75	4845.375	4845.375	3385.125
Magic GOBO Track 12w Beam angle Adjustable		47x115x190mm, 25-35°, 80/90cri	3k/4k/65k /Tunable	15266.25	16593.75	17921.25	19248.75	19248.75	16328.25
Magic Iris Hanging 12w		40x304mm, 24/36/55°, 80/90cri	3k/4k/65k /Tunable	1526.625	2655	3385.125	3849.75	3849.75	2588.625
Magic Desire Hanging 7w		56x75mm, 12/24/36/55°, 80/90cri	3k/4k/65k /Tunable	1261.125	2323.125	3053.25	3451.5	3451.5	2323.125
Magic Desire Hanging 12w		64x85mm, 12/24/36/55°, 80/90cri		1526.625	2655	3385.125	3849.75	3849.75	2588.625
Magic Desire Hanging 20w		70x95mm, 12/24/36/55°, 80/90cri		1792.125	2854.125	3717	3982.5	3982.5	2854.125
Magic Ignite Hanging 8w		90x75mm, 110°, 80/90cri	3k/4k/65k /Tunable	1261.125	2323.125	3053.25	3451.5	3451.5	2323.125
Magic Ignite Hanging 15w		110x75mm, 110°, 80/90cri		1460.25	2655	3318.75	3783.375	3783.375	2522.25
Magic Ignite Hanging 22w		125x75mm, 110°, 80/90cri		1659.375	2655	3451.5	3982.5	3982.5	2721.375
Magic 48vx100w Power Supply				2389.5	0		0	0	0
Magic 48vx200w Power Supply				3717	0		0	0	0

Item no	Picture	Dimentions	Led Colour	List Price					
				Single colour	Tunable RF + BLE	Dali	Dali Tunable	Zigbee Tunable	Analog
Magic External power Supply 48vx100w				2389.5	0		0	0	0
Magic External power Supply 48vx200w				3252.375	0		0	0	0
Magic External power Supply 48vx300w				5376.375	0		0	0	0
Meanwell Driver 48 v-50 w				1875				0	
Meanwell Driver 48 v-75w				2250				0	
Meanwell Driver 48 v-100w				2520				0	
Meanwell Driver 48 v-150w				3135				0	
Meanwell Driver 48 v-200w				4135				0	

Note: Body Colour Black and White available

For Dali Dimmable Default driver EU Chip. For Ltech add 1500 to the list price



20MM MAGIC

MAGNETIC TRACK SERIES


Hanging —●



Surface —●






Concealed —●





TC20

End Caps






90° Corner (C to C)




TH20

End Caps





90° Corner (C to C)



SURFACE


SUSPENDED



20MM MAGIC

LASER BLADE



Watt	:	10w	20w
Dimension	:	112X22X25mm	220X22X25mm
CCT (K)	:	3000k/4000k/6500k/2700-6500k(Tunable)	
		Note : 2700/3500/5000k (available on request)	
Beam Angle	:	36°	
CRI (Ra)	:	80 (90 available on request)	
Material	:	Aluminium	
LED Brand	:	Jainsosns Light/ Bridgelux	



20MM MAGIC

MOVABLE LASER BLADE

Watt	:	10w	20w
Dimension	:	112X22X90mm	220X22X90mm
CCT (K)	:	3000k/4000k/6500k/2700-6500k(Tunable)	
		Note : 2700/3500/5000k (available on request)	
Beam Angle	:	36°	
CRI (Ra)	:	80 (90 available on request)	
Material	:	Aluminium	
LED Brand	:	Jainsosns Light/ Bridgelux	



Dimming & Tuning Technology



RF 2.4G + BLE

TRIAC/PHASE CUT

Zigbee

BK

WH




Body Color Available



20MM MAGIC

WALLWASHER




Watt	:	10w	20w
Dimension	:	132X22X42mm	246X22X42mm
CCT (K)	:	3000k/4000k/6500k/2700-6500k(Tunable)	
		Note : 2700/3500/5000k (available on request)	
Beam Angle	:	36°	
CRI (Ra)	:	80 (90 available on request)	
Material	:	Aluminium	
LED Brand	:	Jainsosns Light/ Bridgelux	



20MM MAGIC

SPOTLIGHT

Watt	:	8w	16w
Dimension	:	110X22X42mm	218X22X42mm
CCT (K)	:	3000k/4000k/6500k/2700-6500k(Tunable)	
		Note : 2700/3500/5000k (available on request)	
Beam Angle	:	30°	
CRI (Ra)	:	80 (90 available on request)	
Material	:	Aluminium	
LED Brand	:	Jainsosns Light/ Bridgelux	



Dimming & Tuning Technology



RF 2.4G + BLE TRIAC/PHASE CUT Zigbee

BK WH Body Color Available



50,000
Hours



High
Lumens



Flicker Free



Upto 3.5KV
Surge



440V
OVP



5
Year
Warranty*





Anti Glare

20MM MAGIC

LINEAR DIFFUSED DOWNLIGHT



Watt	:	10w	20w
Dimension	:	203X22X25mm	303X22X25mm
CCT (K)	:	3000k/4000k/6500k/2700-6500k(Tunable)	
		Note : 2700/3500/5000k (available on request)	
Beam Angle	:	120°	
CRI (Ra)	:	80 (90 available on request)	
Material	:	Aluminium	
LED Brand	:	Jainsosns Light/ Bridgelux	



20MM MAGIC

MOVABLE LINEAR DIFFUSED DOWNLIGHT

Watt	:	10w	20w
Dimension	:	203X320X90mm	303X320X90mm
CCT (K)	:	3000k/4000k/6500k/2700-6500k(Tunable)	
		Note : 2700/3500/5000k (available on request)	
Beam Angle	:	120°	
CRI (Ra)	:	80 (90 available on request)	
Material	:	Aluminium	
LED Brand	:	Jainsosns Light/ Bridgelux	



Dimming & Tuning Technology



RF 2.4G + BLE

TRIAC/PHASE CUT

Zigbee

BK

WH

Body Color Available



50,000
Hours



High
Lumens



Flicker Free



Upto 3.5KV
Surge



440V
OVP



5
Year
Warranty*

20MM MAGIC

TRACKLIGHT

Watt	:	7w	12-15w	20w
Dimension	:	38X90X162mm	48X126X190mm	48X126X210mm
Beam Angle	:	15/24/36/60°	15/24/36/60°	15/24/36/60°



CONCEALED

TRACKLIGHT

Watt	:	7w	12-15w
Dimension	:	38X90X150mm	48X126X180mm
Cut Out	:	52mm	52mm
Beam Angle	:	15/24/36/60°	15/24/36/60°



SURFACE

TRACKLIGHT

Watt	:	7w	12-15w
Dimension	:	38X90X160mm	48X126X190mm
Beam Angle	:	15/24/36/60°	15/24/36/60°

CCT (K) : 3000k/4000k/6500k/2700-6500k(Tunable)

Note : 2700/3500/5000k (available on request)

CRI (Ra) : 80 (90/95 available on request)

Material : Die Cast Aluminium ADC-12

LED Brand : Jainsoosns Light/Bridgelux



BK WH Body Color Available



50,000
Hours



High
Lumens



Flicker Free



Upto 3.5KV
Surge



440V
OVP

5
Year
Warranty*



Anti Glare

20MM MUSEUM

DEGREE ADJUSTABLE TRACKLIGHT


Watt	:	12w
Dimension	:	47X195X115mm
Beam Angle	:	25-36°



CONCEALED

TRACKLIGHT


Watt	:	12w
Dimension	:	47X195X130mm
Cut Out	:	52mm
Beam Angle	:	25-36°



SURFACE

TRACKLIGHT

Watt	:	12w
Dimension	:	47X195X130mm
Beam Angle	:	25-36°
CCT (K)	:	3000k/4000k/6500k/2700-6500k(Tunable) Note : 2700/3500/5000k (available on request)
CRI (Ra)	:	80 (90/95 available on request)
Material	:	Die Cast Aluminium ADC-12
LED Brand	:	Jainsons Light/Bridgelux



20MM HANGING

IRIS

Type	:	Iris
Watt	:	12w
Dimension	:	40X304.8mm
Beam Angle	:	15/24/36/60°
CRI	:	80 (90/95 available on request)



20MM HANGING

DESIRE

Type	:	Desire		
Watt	:	7w	12w	20w
Dimension	:	56X75mm	64X85mm	70X95mm
Beam Angle	:	15/24/36/60°	15/24/36/60°	15/24/36/60°
CRI	:	80 (90/95 available on request)		



20MM HANGING

IGNITE

Watt	:	8w	15w	22w
Dimension	:	90X75mm	110X75mm	125X75mm
Beam Angle	:	110°	110°	110°
CRI (Ra)	:	80 (90 available on request)		
CCT (K)	:	3000k/4000k/6500k/2700-6500k(Tunable)		
		Note : 2700/3500/5000k (available on request)		
Material	:	Die Cast Aluminium ADC-12		
LED Brand	:	Jainsoosns Light/Bridgelux		



BK WH Body Color Available



50,000
Hours



High
Lumens



Flicker Free



Upto 3.5KV
Surge



440V
OVP



5
Year
Warranty*



Anti Glare

20MM HANGING

TUBE

Watt (Size)	:	10w (1mtr.)	15w (2mtr.)
CCT (K)	:	3000k/4000k/6500k/2700-6500k(Tunable)	
		Note : 2700/3500/5000k (available on request)	
CRI (Ra)	:	80 (90 available on request)	
LED Brand	:	Jainsosns Light/Bridgelux	

20MM HANGING

CORE

Watt	:	12w
Dimension	:	55x70mm
CCT (K)	:	3000k/4000k/6500k/2700-6500k(Tunable)
		Note : 2700/3500/5000k (available on request)
Beam Angle	:	24/36°
CRI (Ra)	:	80 (90/95 available on request)
Material	:	Die Cast Aluminium ADC-12
LED Brand	:	Jainsosns Light/Bridgelux

NEW
ARRIVAL

Dimming & Tuning Technology



RF 2.4G + BLE

TRIAC/PHASE CUT

Zigbee

BK

WH

Body Color Available



20MM MAGIC

MAGIC ACCESSORIES



90° TC & TH Corner



TC & TH Curve Corner



Plus TC & TH Corner



T TC & TH Corner



TC Power Supply



TH Power Supply



DC Connector



DC Connector



TC & TH End Caps

