JAINSONS LIGHTS
SINCE 1978

Price on Request
EST. 1978

THIS CATALOGUE

Ask us for the *price.*

We share pricing personally, based on your project — so you always get the right price for your requirement.

Get your price on our website

jainsonslightsonline.com

Since 1978 · Four Delhi Showrooms · jainsonslightsonline.com

X-Line

Unique and contemporary way to illustrate and illuminate with freedom of design, as it fulfills many customisation requirements, which makes it a paradise for designers.



MULTIPLE COLORS AVAILABLE

There are three colors to choose from for the track: black, gold, and nickel. According to the different needs of the space, match them to create your own unique style



CIRCULAR ARC TRACKS

There are various diameter specifications available for the circular arc track: Φ600mm/ Φ800mm/Φ 1000mm/Φ1500mm/Φ2000mm.


It is suitable for different types of ceilings, creating a spacious and fashionable space, and can create more different shapes according to your needs.the diameter and the circular, square or rectangular shape.

POWER INSTALLATION METHOD




The CT-PL200 product can be freely transferred


HARD COVER BOOK



QUICK INSTALLATION





Rotating buckle, with magnets on the lamp joint to prevent the lamp from falling off easily, making it safer and more reliable.

48V low voltage power supply with safety performance, can be directly touched, or easily slide into any position on the track according to the different needs of space


X-line TRACK SERIES

Product name & code	Picture	Installation	Description	Dimensions	Prize

XL13 MAGNETIC TRACK


XL13-1M		1) Input voltage: DC48V 2) Installation: Suspendant 3) Material: Copper & Aluminium & Iron 4) Weight: 350 g / m	1) Aluminium track 1pcs 2) Iron bar 2pcs 3) Conductors 4pcs (2.45*0.6mm purple copper) 4) End cap 2pcs **Color: Black Brushed**	**1000*13*19MM**	**₹2,100**
XL13-2M				**2000*13*19MM**	**₹4,200**
XL13-3M				**3000*13*19MM**	**₹6,200**

XL13 MAGNET TRACK-ROUND

XL13-TR600		1) Input voltage: DC48V 2) Installation: Suspendant 3) Material: Copper & Aluminium & Iron 4) Weight: 350 g / m	1) Aluminium track 1pcs 2) Iron bar 2pcs 3) Conductors 4pcs (2.45*0.6mm purple copper) **Color: Black Brushed**	**D600M**	**₹16,800**
XL13-TR800				**D800M**	**₹19,950**
XL13-TR1000				**D1000M**	**₹23,200**
XL13-TR1500				**D1500M**	**₹27,650**
XL13-TR2000				**D2000M**	**₹36,400**






POWER SUPPLY

Suspension kit and ceiling plate is not included

ON-TRACK CT13-SP100 /OT			Power：100 W Input Voltage：180~255Vac Output Voltage：DC 48 V Current：2.1 A	**34*60*200MM**	**₹6,800**
ON-TRACK CT13-SP200 /OT			Power：200 W Input Voltage：180~255Vac Output Voltage：DC 48 V Current：4.2 A	**34*60*200MM**	**₹9,800**
ON-TRACK CT13-SP100/EX			Power：100 W Input Voltage：180~255Vac Output Voltage：DC 48 V Current：2.1 A	**60*35*240MM**	**₹5,900**
ON-TRACK CT13-SP200/EX			Power：200 W Input Voltage：180~255Vac Output Voltage：DC 48 V Current：4.2 A	**60*35*240MM**	**₹8,400**

Product name & code	Picture	Installation	Description	Dimensions	Price

ACCESSORIES

FEEDER WITH CABLE XL13-FD1		Feeder with electricity cable	Aluminium, Copper & PC **Color: Black**	**Φ30*75MM**	**₹2,900**
CONNECTOR XL13-CD1		Holder with conductor	Aluminium, Copper & PC **Color: Black**	 **Φ30*75MM**	**₹2,480**
HOLDER XL13-HD1		Holder	Aluminium & Copper **Color: Black**	 **Φ30*75MM**	**₹2,380**
FEEDER-DOUBLE XL13-FD2		Holder for double layer track with conductor	Aluminium, Copper, PC & Iron **Color: Black**	 **Φ30*77MM**	**₹2,980**
HOLDER-DOUBLE XL13-HD2		Holder for double layer track	Aluminium **Color: Black**	 **Φ30*77MM**	**₹1,980**
CONNECTOR/T TO T-DOUBLE XL13-FD3		connector for double layer track from track to track with conductor	Aluminium, Copper, PC & Iron **Color: Black**	**Φ30*112MM**	**₹4,880**
HOLDER/T TO TDOUBLE XL13-HD3		Holder for double layer track from track to track without conductor	Aluminium **Color: Black**	**Φ30*112MM**	**₹3,880**

Product name & code	Picture & Diagram	Installation	Description	Dimensions	Price

ACCESSORIES

ADJUSTABLE SUSPENDER



XL13-SD500	Suspender 500mm	Iron **Color: Black**	**500+500MM**	**₹500**
XL13-SD750	Suspender 750mm		**750+750MM**	**₹600**
XL13-SD1000	Suspender 1000mm		**1000+1000MM**	**₹700**

XL13-CP1



Ceiling plate	Iron **Color: Black**	**Φ60*30MM**	**₹380**


XL13-WB1

Hanging Wire Bag	stainless steel + Iron including the Screws	**1.5M**	**₹600**

CONNECTOR

XL13-ZJ1




Connector for two straight track	Copper & PC **Color: Black**		**₹400**

END CAP

XL13-ED1



End cap for single track(one pair)	PC **Color: Black**		**₹60**

JAINSONS LIGHTS
SINCE 1978

X-Line
LIGHT MODULES



XL13-D30/D40

7W
12W




XL13-D30/D40AR

4W
7W



XL13-TL7/T12

7W
12W



XL13-LB10

20W




XL13-R70

4W



XL13-X60/X80

12W
18W



XL13-LB5

10W



XL13-Z7W

7W




XL13-G100

4W










XL13-PL200




15W



XL13-DF265


12W

Product name & code	Picture	Wattage	LED CHIP & CRI	Description	Dimensions	Price
XL MODULES						
XL13-D30		7W	3000K/4000K/5000K Bridgelux COB CRI＞90	Aluminium / Black **Beam Angle: 30⁰**	**Φ30*125MM** 	**₹2,980**
XL13-D40		12W			**Φ40*125MM**	**₹3,980**
XL13-D30AR		4W	3000K/4000K/5000K Bridgelux COB CRI＞90	Aluminium / Black **Beam Angle: 105⁰**	**Φ30*125MM** 	**₹3,180**
XL13-D40AR		7W			**Φ40*125MM**	**₹4,280**
XL13-TL7		7W	3000K/4000K/5000K Bridgelux COB CRI＞90	Aluminium / Black **Beam Angle: 24⁰**	**Φ36*90*160MM** 	**₹3,820**
XL13-TL12		12W			**Φ48*150*220MM**	**₹4,750**
XL13-X60		12W	3000K/4000K/5000K Bridgelux COB CRI＞90	Aluminium / Black **Beam Angle: 30⁰**	**Φ60*125MM** 	**₹4,420**
XL13-X80		18W			**Φ80*125MM**	**₹5,490**
CT13-R70		4W	3000K/4000K/5000K Bridgelux 5050 CRI＞90	Aluminium / Black **Beam Angle: 70⁰**	**Φ70*118MM** 	**₹3,490**
XL13-LB5		10W	3000K/4000K/5000K Bridgelux 3535 CRI＞90	Aluminium / Black **Beam Angle: 30⁰**	 **34*65*135MM**	**₹4,280**
XL13-LB10		20W	3000K/4000K/5000K Bridgelux 3535 CRI＞90	Aluminium / Black **Beam Angle: 30⁰**	 **34*65*268MM**	**₹6,480**

Product name & code	Picture & Diagram	Wattage	LED CHIP & CRI	Description	Dimensions	Price
XL MODULES						
XL13-DF265		12W	3000K/4000K/5000K Bridgelux 2835 CRI>90	Aluminium / Black **Beam Angle: 105⁰**	**34*65*268MM**	**₹4,980**
XL13-Z7W		7W	3000K/4000K/5000K Ra>90;Bridgelux COB	Aluminium / Black **Beam Angle: 24⁰**	**Φ90*102MM**	**₹4,890**
XL13-G100		4W	3000K/4000K/5000K Bridgelux 2835 CRI>90	 Aluminium / Black **Beam Angle: 110⁰**	**Φ100*150MM**	**₹4,980**
XL13-PL200		15W	3000K/4000K/5000K Bridgelux 2835 CRI>90	 Aluminium / Black **Beam Angle: 110⁰**	**Φ205*283MM**	**₹9,280**

Product name & code	Picture	Installation	Description	Dimensions	Price

XL13 MAGNETIC TRACK

XL13-1M		1) Input voltage: DC48V 2) Installation: Suspendant 3) Material: Copper & Aluminium & Iron 4) Weight: 350 g / m	1) Aluminium track 1pcs 2) Iron bar 2pcs 3) Conductors 4pcs (2.45*0.6mm purple copper) 4) End cap 2pcs **Color: Gold Brushed**	**1000*13*19MM**	**₹2,890**
XL13-2M				**2000*13*19MM**	**₹5,780**
XL13-2.5M				**2500*13*19MM**	**₹8,670**

XL13 MAGNET TRACK-ROUND

XL13-TR600		1) Input voltage: DC48V 2) Installation: Suspendant 3) Material: Copper & Aluminium & Iron 4) Weight: 350 g / m	1) Aluminium track 1pcs 2) Iron bar 2pcs 3) Conductors 4pcs (2.45*0.6mm purple copper) **Color: Gold Brushed**	**D600M**	**₹18,800**
XL13-TR800				**D800M**	**₹24,200**
XL13-TR1000				**D1000M**	**₹27,800**
XL13-TR1500				**D1500M**	**₹34,800**
XL13-TR2000				**D2000M**	**₹44,200**





Suspension kit and ceiling plate is not included

POWER SUPPLY

ON-TRACK CT13-SP100/OT		Power：100 W Input Voltage：180~255Vac Output Voltage：DC 48 V Current：2.1 A	**34*60*200MM**	**₹6,900**
ON-TRACK CT13-SP200/OT		Power：200 W Input Voltage：180~255Vac Output Voltage：DC 48 V Current：4.2 A	**34*60*200MM**	**₹9,300**
ON-TRACK CT13-SP100/EX		Power：100 W Input Voltage：180~255Vac Output Voltage：DC 48 V Current：2.1 A	**60*35*240MM**	**₹5,950**
ON-TRACK CT13-SP200/EX		Power：200 W Input Voltage：180~255Vac Output Voltage：DC 48 V Current：4.2 A	**60*35*240MM**	**₹8,280**

Product name & code	Picture	Installation	Description	Dimensions	Price

ACCESSORIES

FEEDER WITH CABLE XL13-FD1		Feeder with power cable	Aluminium, Copper & PC **Color: Gold**	**Φ30*75MM**	**₹3,150**
CONNECTOR XL13-CD1		Holder with conductor	Aluminium, Copper & PC **Color: Gold**	 **Φ30*75MM**	**₹2,700**
HOLDER XL13-HD1		Holder	Aluminium & Copper **Color: Gold**	 **Φ30*75MM**	**₹2,475**
FEEDER-DOUBLE XL13-FD2		Holder for double layer track with conductor	Aluminium, Copper, PC & Iron **Color: Gold**	 **Φ30*77MM**	**₹3,280**
HOLDER-DOUBLE XL13-HD2		Holder for double layer track	Aluminium **Color: Gold**	 **Φ30*77MM**	**₹2,175**
CONNECTOR/T TO T-DOUBLE XL13-FD3		connector for double layer track from track to track with conductor	Aluminium, Copper, PC & Iron **Color: Gold**	**Φ30*112MM**	**₹5,400**
HOLDER/T TO TDOUBLE XL13-HD3		Holder for double layer track from track to track without conductor	Aluminium **Color: Gold**	**Φ30*112MM**	**₹4,275**



Product name & code	Picture & Diagram	Installation	Description	Dimensions	Price

ACCESSORIES

ADJUSTABLE SUSPENDER



SR 20	Suspender 500mm	Aluminium	20MM	₹225
SR 73		**Color: Gold**	73MM	₹300
SR 250	Suspender 750mm		250MM	₹570
SR 500			500MM	₹1100
SR 100	Suspender 1000mm		1000MM	₹2,180

XL13-CP1		Ceiling plate	Aluminium **Color: Gold**	Φ60*30MM	₹380
XL13-WB1		Hanging Wire Bag	stainless steel + Iron including the Screws	1.5M	₹600
CONNECTOR XL13-ZJ1		Connector for two straight track	Copper & PC **Color: Gold**		₹400
END CAP XL13-ED1		End cap for single track(one pair)	PC **Color: Gold**		₹60

JAINSONS LIGHTS
SINCE 1978

X-Line
LIGHT MODULES



XL13-D30/D40/G

7W
12W




XL13-D30/D40AR/G

4W
7W



XL13-TL7/T12

7W
12W



XL13-LB10

20W



XL13-R70

4W



XL13-X60/X80

12W
18W



XL13-LB5

10W



XL13-Z7W

12W




XL13-G100

4W



XL13-PL200

15W








XL13-DF265

12W




Product name & code	Picture	Wattage	LED CHIP & CRI	Description	Dimensions	Price

XL MODULES

XL13-D30/G		7W	3000K/4000K/5000K Bridgelux COB CRI＞90	Aluminium / Gold **Beam Angle: 30⁰**	**Φ30*125MM** 	**₹3,480**
XL13-D40/G		12W			**Φ40*125MM**	**₹4,680**
CT13-D30AR		4W	3000K/4000K/5000K Bridgelux 5050 CRI＞90	Aluminium / Gold **Beam Angle: 105⁰**	**Φ30*125MM** 	**₹3,880**
CT13-D40AR		7W			**Φ40*125MM**	**₹4,880**
XL13-TL7/G		7W	3000K/4000K/5000K Bridgelux COB CRI＞90	Aluminium / Gold **Beam Angle: 24⁰**	**Φ36*90*160MM** 	**₹4,480**
XL13-TL12/G		12W			**Φ48*150*220MM**	**₹5,480**
XL13-X60/G		12W	3000K/4000K/5000K Bridgelux COB CRI＞90	Aluminium / Gold **Beam Angle: 30⁰**	**Φ60*125MM** 	**₹4,880**
XL13-X80/G		18W			**Φ80*125MM**	**₹6,490**
CT13-R70		4W	3000K/4000K/5000K Bridgelux 5050 CRI＞90	Aluminium / Gold **Beam Angle: 70⁰**	**Φ70*118MM** 	**₹3,880**
XL13-LB5/G		10W	3000K/4000K/5000K Bridgelux 3535 CRI＞90	Aluminium / Gold **Beam Angle: 30⁰**	**34*65*135MM** 	**₹4,680**
XL13-LB10/G		20W	3000K/4000K/5000K Bridgelux 3535 CRI＞90	Aluminium / Gold **Beam Angle: 30⁰**	**34*65*268MM** 	**₹7,280**

Product name & code	Picture	Wattage	LED CHIP & CRI	Description	Dimensions	Price

XL MODULES

XL13-DF265/G		12W	3000K/4000K/5000K Bridgelux 2835 CRI>90	Aluminium / Gold **Beam Angle: 105⁰**	**34*65*268MM**	**₹5,880**
XL13-PL200/G		15W	3000K/4000K/5000K Bridgelux 2835 CRI>90	Aluminium / Gold **Beam Angle: 110⁰**	**Φ205*283MM** 	**₹9,600**
CT13-G100		4W	3000K/4000K/5000K Bridgelux 5050 CRI>90	Aluminium / Gold **Beam Angle: 110⁰**	**Φ100*150MM** 	**₹4,880**
XL13-Z7W		12W	3000K/4000K/5000K Ra>90;Bridgelux COB	Aluminium / Gold **Beam Angle: 24⁰**	**Φ90*102MM**	**₹5,680**

*Stock is subject to availability

*Special color temperatures like 3500k, 4500k, 5000k & 6000k can be made against order.

*Prices can be revised, without any prior notice. Company remains the right to change prices and products at any time.

*Processing time may vary from series to series depending upon availability. PI will be shared for exact timeline for delivery.

*Please refer to the last pages for detailed installation steps.

WIFI Remote Control and Manual

Model No. & Power (W)	Picture	Description	Price
SMART/TUYA/REMOTE		Remote to operate wifi enabled lights and driver, works on smart home app, with wifi and location. It can be used to tune and dim the lights, also can set modes. Works with two AAA batteries.	₹1,680



TUYASMART APP.CONTROL:


TuyaSmart App enables thr lamps to be controlled remotely through the net work.After registering and logging,you can manage the lamps at any time

1. Download and open the TuyaSmart app,open the bluetooth of the mobile phone,and connect to the Wifi of the zone.
2. Only if the lamp flashes when power on is the matching state
3. Reset:Power on and off the powersupply 8 times till the lamps flashes (note:after power off it need wait unless 2 seconds each time to empty the electricity)


1 Click"Add Device"




2 Click"Add"




3 Click"+"




4 Input the password



5 Done




6 Start Control



★Note:If can not find the device,please reset.

MANUAL FOR TUYA WIFI REMOTE CONTROL:



Color:Black
Battery:AAA*2PCS
Dimension:15*3.9*1.4CM

1. Pair:In 3-10 seconds after Turn on, hold the ON button (A or B) till the lamp flashes,then matches successfully
2. Group Reset:Hold the A or B button and Brightness decrease button together for 5 seconds,unpair group A or B
3. Whole Reset:Hold the ON button and Brightness decrease button together for 5 seconds;unpair all the lights

Button Option	
ON	Turn On (all the lights connected)
OFF	Turn Off (all the lights connected)
	Scene Mode (Mode Switch)
	Brightness Increase▲
	Brightness Decrease▼
K+	CCT Increase▲
K–	CCT Decrease▼
H1	MODE1 (Hold to save the current scene,press to turn on the saved scene)
H2	MODE2 (Hold to save the current scene,press to turn on the saved scene)
	Night Mode (3000K Brightness Low)
A	Group A (Hold to pair,short press to turn on or off)
B	Group B (Hold to pair,short press to turn on or off)

Smart Knob

Controller









Perfectly interpreting the design aesthetic

Applicable to multiple scenes, the knob provide more precise adjustment of smart devices, delivering a superior and more intuitive smart house interaction experience.

It can be configured for spotlights, track lights, strip lights, linear lights, etc., enabling brightness and color temperature adjustment.

Model No.	Picture	Diagram	Application	Dimensions	Price
SMART KNOB			TUYA WIFI+ BLUETOOTH /TUYA ZIGBEE	Ø70*22MM	₹5,780
SMART KNOB WITH STAND			TUYA WIFI+ BLUETOOTH /TUYA ZIGBEE	Ø70*22MM	₹6,900



Specifications

Dimensions:
Ø 70×22mm

Material:
Aluminium/PC

Color:
Black/Gold/Nickel

Battery:
AAA Battery × 2

Solution:
TUYA WiFi +Bluetooth
/ TUYA Zigbee

Control:
Button/Knob

Operating Temperature:
-10° ~ 40°C


Working Humidity:
5% ~ 95%, No condensation







Manual



OPERATING GUIDE – TUYA ZigBee Version

Pair:

Please connect the lights to the TUYA APP before operating

In 30 seconds after turn on the light, hold the Group button until the signal light blink, it's paired;

Reset:

Click the group buttons (I 、II 、III) 8 times, it's reset;

ON / OFF CONTROL:

When the lights are OFF:

| Click the button > the selected group lights turn ON and the indicator light turns ON.

| Click again > the lights of this group turn OFF.

When the lights are ON:

| Click the button > the lights of this group are selected.

| Click again > the lights of this group turn OFF.

DIMMING & CCT CHANGING:


| Click the button, the group is choosed and the signal light will be on; Rotate the knob,the brightness is controlled;

| Double click the button,the function will shift to the CCT control, rotate the knob,it's working;


| The button of 'whole group' can control all the lighs paired together.

Installation Instruction for X-Line

STRAIGHT TRACK



Model NO.	CT13-TrackX
Material	Aluminum+Copper+Iron
Color	Black/Golden
Length	1000mm/2000mm/2500mm




*X=Length Of The Track






Model NO.	CT13-ZJ1	CT13-ED1
Material	Copper+PC	PC
Color	Black/Golden	Black/Golden
Function	Connector	End Cap

ACCESSORIES



Single-layer tracks




Double-decker tracks





Model NO.	CT13-HDXXX	CT13-FDXXX
illustrate	Holder With Suspender	Feeder With Suspender and Cable





Model NO.	CT13-Track	CT13-FD2
illustrate	/	Double Layer 360° Connector With Conductor





Model NO.	CT13-HD2	CT13-CDXXX
illustrate	Double Layer 360° Holder Without	Connector With Suspender Without Cable

*XXX=Length Of The Pole:300mm+300mm/500mm+500mm
750mm+750mm/1000mm+1000mm